



# Calculations Policy

Version:	2.0
Author:	Maths Lead
Approved by:	Advisory Body
Date:	Autumn 2023
Review date:	Autumn 2026



# Contents

Progression towards a standard written method of calculation .....	2
Addition .....	6
Subtraction.....	33
Division .....	75

---

## Progression towards a standard written method of calculation

### Introduction

This calculation policy has been written in line with the programmes of study taken from the revised **National Curriculum for Mathematics (2014)**. It provides guidance on appropriate calculation methods and progression. The content is set out in progressive steps under the following headings: addition, subtraction, multiplication and division.

Children will use mental methods as their first port of call when appropriate, but for calculations that they cannot do in their heads, they will need to use an effective written method confidently and accurately.

### Aims of the Policy

- To ensure consistency and progression in our approach to calculation
- To ensure that children develop an efficient, reliable, formal written method of calculation for all operations.
- To ensure that children can use these methods accurately with confidence and understanding.

### How to Use this Policy

- Use the policy as the basis of planning but ensure you use previous or following steps guidance to allow for personalised learning.
- Always use 'Assessment for Learning' to identify suitable next steps in calculation for groups of children to the previous stage in calculation.
- Always use suitable resources, models and images to support children's understanding of calculation and place value, as appropriate at all stages. All children, regardless of age and ability should make progress through a 'C.P.A' approach (Concrete, Pictorial, Abstract).
- Encourage children to make sensible choices about the methods they use when solving problems.

This policy has been largely adapted from the White Rose Maths Hub Calculation Policy with further material added. It is a working document and will be revised and amended as necessary.

	EYFS/Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
Key Language: Addition	total, parts and wholes, plus, add, altogether, more, greater, 'is equal to' 'is the same as', parts, whole, addend, sum					
	SPINE <a href="https://www.ncetm.org.uk/resources/50639">https://www.ncetm.org.uk/resources/50639</a>					
Addition	<p>Combining two parts to make a whole: part whole model.</p> <p>Starting at the bigger number and counting on- using cubes.</p> <p>Regrouping to make 10 using ten frame.</p> <p>Number facts</p> <p>Read, write and interpret equations containing symbols</p>	<p>Add and subtract across 10</p> <p>Use of base 10 to combine two numbers.</p> <p>Adding three single digits.</p> <p>Adding two two-digit numbers.</p> <p>Add within 100</p> <p>Number facts</p>	<p>Column method regrouping.</p> <p>Using place value counters and base 10.</p> <p>(up to 3 digits).</p>	<p>Column method regrouping.</p> <p>Using place value counters and base 10.</p> <p>(up to 3 digits).</p>	<p>Column method regrouping.</p> <p>Use of place value counters and base 10 for adding decimals.</p>	<p>Column method regrouping.</p> <p>Abstract methods.</p> <p>Place value counters to be used for adding decimal numbers.</p>
Key Language: Subtraction	take away, less than, subtract, minus, fewer, decrease, parts, whole, subtrahend, minuend, difference					

Subtraction	Partition numbers to 10 into parts	Add and subtract across 10	Column method with regrouping.	Column method with regrouping.	Column method with regrouping.	Column method with regrouping.
	Taking away ones	Use of base 10	(up to 3 digits using place value counters and base 10.)	(up to 4 digits using place value counters and base 10.)	Abstract for whole numbers.	Abstract methods.
	Counting back	Counting back			Start with place value counters for decimals- with the same amount of decimal places.	Place value counters for decimals- with different amounts of decimal places.
	Find the difference	Find the difference				
	Part whole model	Part whole model				
	Make 10 using the ten frame	Place value chart				
	Read, write and interpret equations containing symbols	Subtract within 100				

	EYFS/Year 1	Year 2	Year 3	Year 4	Year 5	Year 6
Key Language: Multiplication	double, times, multiplied by, groups of, lots of, equal groups/parts, multiplier, multiplicand, product					
	SPINE <a href="https://www.ncetm.org.uk/resources/50639">https://www.ncetm.org.uk/resources/50639</a>					

<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Multiplication</p>	<p>Recognising and making equal groups. Doubling Counting in multiples Use cubes, Numicon and other objects in the classroom.</p>	<p>Arrays- showing commutative multiplication Repeated addition Representing equations 2, 5 and 10 times tables</p>	<p>Arrays Repeated addition <math>2d \times 1d</math> using base 10 Column multiplication- introduced alongside other methods, with place value counters.</p>	<p>Column multiplication- introduced with place value counters. (2 and 3 digit multiplied by 1 digit)</p>	<p>Column multiplication. Abstract only but might need a repeat of year 4 first (up to 4 digit numbers multiplied by 1 or 2 digits).</p>	<p>Column multiplication Abstract methods (multi-digit up to 4 digits by a 2 digit number)</p>
<p>Key Language: Division</p>	<p style="text-align: center;">share, group, divide, divided by, half, equal groups/parts, divisor, dividend, quotient, fraction</p>					
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Division</p>	<p>Sharing objects into groups Division as grouping e.g. I have 12 sweets and put them in groups of 3, how many groups? Use cubes and draw round 3 cubes at a time.</p>	<p>Division as grouping Division within arrays- linking to multiplication Repeated subtraction</p>	<p>Division with a remainder-using lollipop sticks, times tables facts and repeated subtraction. Introduce short division, ready for year 4. <math>2d</math> divided by <math>1d</math> using base 10 or place value counters</p>	<p>Division with a remainder Short division (up to 3 digits by 1 digit- concrete and pictorial)</p>	<p>Short division (up to 4 digits by a 1 digit number including remainders)</p>	<p>Short division Long division with place value counters (up to 4 digits by a 2 digit number) Children should exchange into the tenths and hundredths column too</p>

## Addition

### EYFS – Addition (When planning ensure you track forwards to year 1)

#### Early Learning Goal

- 
- Have a deep understanding of number to 10, including the composition of each number.
- Subitise (recognise quantities without counting) up to 5.
- Automatically recall (without reference to rhymes, counting or other aids) number bonds up to 5 (including subtraction facts) and some number bonds to 10, including double facts.

#### Resources

- NCETM Axis : Mastering number
- <https://www.ncetm.org.uk/resources/50724> Calculation strategies within 10 year 1
- <https://www.ncetm.org.uk/resources/50719> - Year 1 part, part whole model
- NRICH Curriculum Mapping Documents:  
<https://nrich.maths.org/content/id/13291/EYFSKS1CurriculumLinkedtoNRICH.pdf>



#### Potential barriers/misconceptions

- Unable to recite numbers in the correct order
- Not being secure in number facts
- Being unfamiliar with resources such as numicon
- Not associating number names with objects in group
- Unable to count without putting in line or touching
- Not being able to 'hold' the number they started with when adding the second group.
- Not knowing the number order when counting on from any given number

#### Daily Mental calculation practice to develop fluency in key skills:


- Subitising
- Showing and recognising finger numbers
- Recalling number facts within 10
- Use of songs/rhymes, marbles, dice games
- 



Objective & Strategy	Concrete	Pictorial	Abstract
Subitising			<p>2 plus 1</p> <p>1 and another 1 and another 1</p>
Counting on	<p>Where one of the parts is 1; signifying one more or 1 less. Use of rekenreks, bead strings, counters, cubes.</p>  <div style="border: 1px solid black; padding: 5px; margin: 10px 0;">  <p>One less than 4 is 3. One more than three is four.</p> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;"> <p>5...6,7      7...6,5</p>  <p>5 and 2 more is 7 2 less than 7 is 5</p> </div> <div style="text-align: center;"> <p>5...6,7,8</p>  <p>5 in the bag and 3 more</p> </div> </div>	 <div style="text-align: right; margin-top: 200px;">  <p>Imagine one more spot</p> </div> <p>Use objects to add two single-digit numbers by counting on to find the answer.</p> 	 <div style="margin-left: 20px;"> <math>3 + 1 = 4</math>  <math>1 + 3 = 4</math>  <math>4 - 1 = 3</math>  <math>4 - 3 = 1</math> </div>

Count on from 5


Numberblocks episodes and visuals  
 Snap cubes  
 Rekenreks  
 10's frames and double sided counters  
 Use of fingers to represent numbers using '5 and a bit'



**Think 5**

Where the whole is 6 or 7 and one of the parts is 5 (to secure benchmark from 5).


Numberblocks visuals – 5 is a part of me  
 10's frames – draw  
 counters/representations




		Draw 2 more hats
$5 + 2 =$		

Use of stem sentences  
 5 is a part, 1 is a part and the whole of me is 6  
 6 is made of 5 and 1.

Emphasis should be on the language  
 '1 more than 5 is equal to 6.'  
 '2 more than 5 is 7.'  
 '8 is 3 more than 5.'





**Combining two parts to make a whole.**




Three paper plates can be used to represent part, part whole. Children move the cars together into one group to find the total amount. (starting with 0-5)

Use of numicon to recognise and manipulate parts and wholes.



**Part, Part, Whole**

\_\_ is a part, \_\_ is a part, \_\_ is the whole.  
Four and three makes seven. Three more than four is seven.



$$4+3=7$$

$$3+4=7$$

$$7-4=3$$

$$7-3=4$$

**Bar model**

Progression towards a bar model  
Encourage children to lay out 1:1.  
Discuss what the children notice – who has more? Who has fewer? How many more?  
How many fewer? How many altogether?  
What is the difference?

Sara has 2 apples.  
Jon has 5 apples.  
How many apples do they have altogether?  
How many more apples does Jon have than Sara?



Sara has 2 apples.  
Jon has 5 apples.  
How many apples do they have altogether? How many more apples does Jon have than Sara?



)

$$5 + 2 =$$

$$2 + 5 =$$

$$7 = \_ + 2$$

$$7 = 5 + \_$$

**Use known number facts – number bonds to 10**

Children to use a range of manipulatives to represent number facts.  
 Numerblocks episodes, visuals and snap cubes




Numericon:

10 = 7 + 3      4 + 6

20 = 11 + 9

Use of tens frames and drawing counters



$8 + ? = 10$



$6 + ? = 10$   
 $10 - 6 = ?$




$? + 6 = 10$   
 $10 - 4 = 6$

$3 + 7 = 10$

$7 + 3 = 10$

$10 - 7 = 3$

$10 - 3 = 7$



**Number families**

To use the inverse

Pupils should be encouraged to rely on number bonds knowledge as time goes on, rather than using counting on as their main strategy

## Year 1 – Addition (When planning ensure you track back to EYFS and forwards to Year 2)

### National Curriculum:

- Read, write and interpret mathematical statements involving addition (+), subtraction (-) and equals (=) signs
- Represent and use number bonds and related subtraction facts within 20
- Add and subtract one-digit and two-digit numbers to 20 including zero
- Solve one step problems that involve addition and subtraction, using concrete objects and pictorial representations, and missing number problems such as  $7 = \square - 9$

### Teaching resources

- NCETM Axis : Mastering number
- The national curriculum planning and resource tool years 1-6  
<https://www.ncetm.org.uk/resources/41211>
- Nrich curriculum mapping EYFS – KS1  
<https://rich.maths.org/content/id/13291/EYFSKS1CurriculumLinkedtoNRICH.pdf>
- The Spine - Resources for addition and subtraction Years 1 to 6  
<https://www.ncetm.org.uk/resources/50640>
- Progression maps with reasoning skills -  
<https://www.ncetm.org.uk/resources/44672>




### Potential barriers/misconceptions







- Not being secure in EYFS number facts to 10
- Learn the pairs of numbers to 10 and 20 but not the pairs that total each number up to 20.
- Don't understand the commutativity of  $3+7 = 7+ 3$
- Don't associate number facts e.g  $13+4=17$  and  $17-4=13$  as they don't see + and – as inverse.
- Only able to complete empty box questions when on right hand side (answer) rather than any position.  $3+ \square = 8$
- When counting on from a given number, include the start number in their counting. ( $6+3 = 6,7,8 = 8$ ) rather than  $6+3= 7,8,9 = 9$ )
- Count on and back in 10s and 1s not combining i.e. when add 9, add 10 and subtract 1 (adjust)

### Daily Mental calculation practice to develop fluency in key skills:

- Subitising
- Recall numbers using '5 and a bit'
- One more, one less than numbers within 10 then 20 using '10 and a bit'
- Composition of numbers within 10
- Recalling odd and even numbers
- Counting on from a given number
- Part, part, whole
- To add ten to any two-digit number by counting in 10s.
- To add multiples of ten.
- Bridge through ten (and 20 etc.) when adding a single digit number. (Making ten).  
i.e.  $8 + 6 = 8 + 2 + 4 = 14$
- 
- Rapid recall of number bonds


- Recall doubles and near doubles e.g.  $6 + 7 = 6 + 6 + 1 = 13$
- Add 9 to a single digit number by adding 10 and subtracting 1 (adjust).
- Number bonds ('story of' 5, 6, 7, 8, 9 and 10)

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Use known number facts – number bonds to 10</p>	<p>Use resources such as numicon, snap cubes, tens frames with double sided counters and rekenreks.</p> <p>Numicon:</p>  <p>10 = 7 + 3      4 + 6</p> <p>20 = 11 + 9</p> <hr/>   <p>8 + ? = 10</p>  <p>6 + ? = 10</p>  <p>? + 6 = 10</p> <p>10 - 6 = ?      10 - 4 = 6</p>	 <p>Draw on tens frames to represent number facts</p>	<p>To use the inverse</p> <p>3 + 7 = 10 7 + 3 = 10 10 - 7 = 3 10 - 3 = 7</p>  <p>Number families</p> <p>Pupils should be encouraged to rely on number bonds knowledge as time goes on, rather than using counting on as their main strategy</p> <p>To add pairs to 20</p> 

<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Combining two parts to make a whole: part- whole model</b></p>	<p>Use part-part whole model. Use cubes to add two numbers together as a group or in a bar (use other resources too e.g. eggs, shells, teddy bears, cars).</p>  <p>Use tens frames and stem sentences, '7 is a part, 3 is a part and the whole of me is 10'.</p> 	<p>Children to will be encouraged to draw counters on tens frames to represent the parts and the whole. They can also draw pictorial representations directly into the PPS model.</p>  <p>Use pictures to add two numbers together as a group or in a bar.</p>	<p><math>4 + 3 = 7</math> Four is a part, 3 is a part and the whole is seven.</p> <p><math>2 + 3 = 5</math> <math>3 + 2 = 5</math> <math>5 = 3 + 2</math> <math>5 = 2 + 3</math></p>  <p>Use the part-part-whole diagram as shown above to move into the abstract.</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Starting at the larger number and counting on</b></p>	<p>Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.</p> 	<p>Start at the larger number on the number line and count on in ones or in one jump to find the answer.</p>  <p>A bar model encourages the children to count on, rather than count all.</p> <p>Encourage children to use known facts to make this method more efficient.</p>	<p><math>5 + 12 = 17</math></p> <p>Place the larger number in your head and count on the smaller number to find your answer. Encourage children to use known facts to make this method more efficient.</p>

**Regrouping to make 10.  
This is an essential skill for column  
addition later.**

Start with the bigger number and use the smaller number to make 10.




Use ten frames and counters or cubes




Bead strings can also be used to model this.  
 $9+3=9+1+2$



Children to have tens frames they can draw with two different coloured pencils to represent each number.



Regroup or partition the smaller number using the part part whole model to make 10.



$6 + 4 = 10$

$10 + 1 = 11$

Children to develop an understanding of equality e.g.

$6 + \square = 11$

$6 + 5 = 5 + \square$

$6 + 5 = \square + 4$

## Year 2 –Addition (When planning ensure you track back to Year 1 and forwards to Year 2

### National Curriculum:

Solve problems with addition and subtraction:

- Using concrete and pictorial representations, including those involving numbers, quantities and measures.
- Applying their increasing knowledge of mental and written methods.
- Recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100 Add and subtract numbers using concrete objects, pictorial representations, and mentally, including:
  - A two digit number and ones
  - A two digit number and tens
  - Add two two-digit numbers
  - Adding three one digit numbers
- Show that the addition of two numbers can be done in any order (commutative) and subtraction of one number from another cannot
- Recognise and use the inverse relationship between addition and subtraction and use this to check calculations and solve missing number problems


### Potential barriers/misconceptions

- Pupils believe they have to add in the order that the question was asked (not understanding that addition can be done in any order to do mental calculations more efficiently).
- Pupils still don't have secure rapid recall of addition facts. i.e. struggle to identify all possible missing numbers in  $\_ + \_ = 7$ . (Number bonds).

### Daily Mental calculation practice to develop fluency in key skills:

- Mental Maths Counting forwards/ backwards from any given 1 and 2 digit number.
- Rapid recall **of all addition facts to 20 & 100**
- Partitioning adding the ones and then the tens:  $24+13 = 4+3+ 20+10=37$
- 'Make ten' adding three one digit numbers:  $6+7 = 6+4+3= 13$  .
- Compensating  $24+9= 24+10-1=33$  or  $42+21= 42+20+1= 63$  (adjust).
- Near doubles:  $30+29 = \text{double } 30-1$  and  $14+15$  is double  $14 + 1$  or double  $15-1$ .
- Add a single-digit number to any 2-digit number using number facts, including bridging multiples of 10. (E.g.  $45 + 4$ ,  $38 + 7$ ).
- Add any pair of 2-digit numbers.
- Pupils practice addition and subtraction to 20 to become increasingly fluent in deriving facts such as using  $3+7=10$ ;  $10-7=3$  and  $7=10-3$  to calculate  $30+70=100$ ;  $100-70=30$  and  $70=100-30$ .
- <https://www.ncetm.org.uk/resources/50640#yr2>




The expectation in Year 2 is that children should now be able to recall these number facts to 20 from memory, no longer requiring concrete resources to support them.














- Use these addition and subtraction facts to 20 to derive related facts to 100.



- Make mistakes counting teen numbers or crossing boundaries.
- Insecure in making links between addition and subtraction and/or recognising inverse.
- In vertical addition- placing the answer in the wrong column. i.e. 24 as 2 in the ones, 4 in tens

Objective & Strategy	Concrete	Pictorial	Abstract								
Adding multiples of ten	<p>Model using dienes and bead strings</p> <p><math>50 = 30 + 20</math></p> 	<p>Use representations for base ten.</p>  <p>3 tens + 5 tens = ____ tens</p> <p><math>30 + 50 = \underline{\quad}</math></p> <table border="1" data-bbox="981 434 1128 667"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td>     </td> <td>□□</td> </tr> <tr> <td>     </td> <td>□□</td> </tr> <tr> <td>7</td> <td>4</td> </tr> </table>	T	O		□□		□□	7	4	<p><math>20 + 30 = 50</math></p> <p><math>70 = 50 + 20</math></p> <p><math>40 + \square = 60</math></p> $\begin{array}{r} 44 \\ + 30 \\ \hline 74 \end{array}$
T	O										
	□□										
	□□										
7	4										
Use known number facts	<p>Children explore ways of making numbers within 20</p> <p>Part part whole</p> 	 <p><math>\square + \square = 20</math>    <math>20 - \square = \square</math></p> <p><math>\square + \square = 20</math>    <math>20 - \square = \square</math></p>	<p><math>\square + 1 = 16</math>            <math>16 - 1 = \square</math></p> <p><math>1 + \square = 16</math>            <math>16 - \square = 1</math></p>								

<p>Using known facts</p>		<p>Children draw representations of H, T and O</p> 	<p><math>3 + 4 = 7</math></p> <p>leads to</p> <p><math>30 + 40 = 70</math></p> <p>leads to</p> <p><math>300 + 400 = 700</math></p>																				
<p>Bar model</p>			<table border="1" data-bbox="1691 430 2083 550"> <tr> <td>23</td> <td>25</td> </tr> <tr> <td colspan="2" style="text-align: center;">?</td> </tr> </table> <p><math>23 + 25 = 48</math></p>	23	25	?																	
23	25																						
?																							
<p>Add a 2-digit number and ones</p>	<p><math>41 + 8 =</math></p> 	<p>Children to draw a line for 10s and clear circles for ones. Squares can later be made for 100s</p> <table border="1" data-bbox="974 798 1108 1037"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td>    </td> <td>□□</td> </tr> <tr> <td>  </td> <td>□□</td> </tr> <tr> <td>6</td> <td>7</td> </tr> </table>	T	O		□□		□□	6	7	<p><math>41 + 8</math></p>  <p><math>1 + 8 = 9</math> <math>40 + 9 = 49</math></p> <table border="1" data-bbox="1859 813 2072 1021"> <tr> <td></td> <td>4</td> <td>1</td> </tr> <tr> <td>+</td> <td></td> <td>8</td> </tr> <tr> <td colspan="3" style="border-top: 1px solid black;"></td> </tr> <tr> <td></td> <td>4</td> <td>9</td> </tr> </table>		4	1	+		8					4	9
T	O																						
	□□																						
	□□																						
6	7																						
	4	1																					
+		8																					
	4	9																					

<p>Add a 2-digit number and ones bridging 10</p>	<p><math>17 + 5 = 22</math></p>  <p>Use ten frame to make 'magic ten'.</p> <p>Children explore the pattern.  <math>17 + 5 = 22</math>  <math>27 + 5 = 32</math></p>	<p>Use part part whole and number line to model.</p>  <p><math>17 + 5 = 22</math></p>	<p>Rules of equality. Children can use the inverse to solve missing number problems when crossing one number to the other side of the equation.</p> <p><math>17 + 5 = 22</math>  <math>27 + 5 = \square</math></p>
<p>Add a 2-digit number and tens</p>	 <p><math>25 + 10 = 35</math></p> <p>Explore that the ones digit does not change</p>	 <p><math>27 + 30</math></p> <p><math>+10 +10 +10</math></p> <p>27 37 47 57</p>	<p><math>27 + 10 = 37</math></p> <p><math>27 + 20 = 47</math></p> <p><math>27 + \square = 57</math></p>
<p>Add two 2-digit numbers (partition)</p>	<p>TO + TO using base 10. Continue to develop understanding of partitioning and place value <math>36 + 25</math></p>  <p>10s   1s</p> <p>6   1</p>	<p>Children to represent the base 10 in a place value chart.</p>  <p>10s   1s</p> <p>     </p> <p>   1  </p> <p>6   1</p>	<p><math>36 + 25 =</math></p> <p>30 + 20 = 50  5 + 5 = 10  50 + 10 + 1 = 61</p> <p>1 5</p> <p>36</p> <p>Formal method:</p> $\begin{array}{r} +25 \\ 36 \\ \hline 61 \\ 1 \end{array}$



# Adding 9 and 19 compensating or adjusting

Children can also use this knowledge to help them **add or subtract 9 or 11**, by adding/ subtracting 10 and then **adjusting by 1**.

$54 + 9 = ?$


Compensating or adjusting:

By adding 10, I have added one too many.

So...

$63$

With time and practice, children will be able to use this strategy mentally.



Using an empty number line to add 9 by adding 10 and counting back 1.

$33 + 9 = 42$

Don't forget to put the answer here as well!

Once children have grasped this concept using concrete resources, they can move on to using more abstract, pictorial representations.

34	35	36	37
44	45	46	47
54	55	56	57
64	65	66	67

A **hundred square** is a useful tool with regards to enabling children to add or subtract 10s from any number. It will also reinforce the idea that the **units don't change** but that the **tens increase or decrease** respectively.

For example:  $36 + 10 = 46$

Or:  $64 - 20 = 44$

They can then move left or right with a counter to add or subtract the 1.

**Year 3 -Addition (When planning ensure you track back to Year 2 and forwards to Year 4)**

**National Curriculum** : Add and subtract numbers mentally, including:

- A three-digit number and ones
- A three- digit number and tens
- A three- digit number and hundreds
- Add and subtract numbers with up to three digits, using formal written methods of column addition and subtraction
- Estimate the answer to a calculation and use inverse operations to check answers.
- Solve problems, including missing number problems, using number facts, place value and more complex addition and subtraction.

**Daily Mental calculation practice to develop fluency in key skills:**

- Rapid recall of all addition facts up to and including 20
- Derive quickly addition doubles from 1+1 to 20+20 e.g. 19+19=38
- Doubles of multiples of 5 from 5+5 to 100+100 e.g. 95+95 = 190
- Derive quickly pairs of multiples of 5 that total 100: e.g. 65 + 35
- Know by heart all multiples of 100 that total 1000: e.g. 400 + 600 = 1000
- Add several numbers by making ten & adjusting when adding 11 or 9 add 10 and +1/-1.
- Partition and recombine: e.g. 24 + 35 = 20 + 30 + 4 + 5 = 59
- Identify the corresponding subtraction facts. e.g. 22+57 = 79 and 79-57=22 etc.
- Add a two-digit number to a multiple of 100.e.g. 200+64 Add a two-digit number to a multiple of 10 crossing 100. e.g. 80 + 34 = 114
- Add 10 to any number crossing the hundreds boundary. e.g. 196 + 10
- Add a pair of multiples of 10, crossing 100. e.g. 90 + □ = 130
- Add pairs of multiples of 100 crossing 1000. e.g. 500 + 800 Add 100 to any 3 digit number, without crossing 1000. e.g. 347 + 100 = □

**Potential barriers/misconceptions**

- Children may still not be secure with all addition facts for each number to 20
- Confused that addition is associative- 3+1 = 4 and 1+3=4
- Find it challenging to mentally add using 'near multiples of 10'
- Not sure about which way to compensate: 26+19= 26 +20 – 1 often confused as 36 + 20 + 1. Sometimes begin adding with the left hand column first

**Mental calculations**

**True or false?**

Are these number sentences true or false?

$$597 + 7 = 614$$

$$804 - 70 = 744, 768 + 140 = 908$$
 Give your reasons.

**Hard and easy questions**

Which questions are easy / hard?

$$323 + 10 =$$




- Not understanding the concept of regrouping when the number totals more than ten, hundred etc.
- Children find it difficult to add when there is a zero involved
- Children don't understand importance of zero as a placeholder

$393 + 10 =$

$454 - 100 =$

$954 - 120 =$

Explain why?


Objective & Strategy	Concrete	Pictorial	Abstract									
Adding 3-digit and 1-digit numbers	<p>We can use Base 10 to solve <math>245 + 7</math></p> 	<p>We can use a number line to calculate <math>346 + 7</math></p>  <p><math>46 + 7 = 53</math> so <math>346 + 7 = 353</math></p>	$346 + 7 = 346 + 4 + 3$									
Adding 3-digit and 2-digit numbers	<p><math>544 + 22</math></p> <table border="1" data-bbox="309 491 943 676"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>500 + 60 + 6</p> <p>Links to expanded column method</p>	H	T	O							 <p>5 6 6</p>	$544 + 22 = 566$
H	T	O										
Regrouping	<p>Regrouping is an essential skill</p> <p>Using part part whole models, regroup 3-digit integers flexibly and in multiple ways.</p>  <div style="border: 2px solid orange; padding: 5px; width: fit-content; margin: 10px auto;"> <p>236 can be regrouped into 220 and 16. There are 23 tens and 6 ones in 236.</p> </div>	 <p> <math>76 + 38 = 80 + 34</math>      <math>76 + 38 = 74 + 40</math>  <math>247 + 8 = 245 + 10</math>      <math>247 + 8 = 250 + 5</math> </p>	$76 + 38 =$  $247 + 8 =$									

# Adding 3-digit and 3-digit numbers

Start with base 10 to allow chn to see the size of numbers before moving on to counters.


$$432 + 521 =$$

Step 1 Add the ones.  
2 ones + 1 one = 3 ones




With exchange:  $243 + 368 =$

When there are 10 ones in the 1s column we exchange for 1 ten, when there are 10 tens in the 10s column we exchange for 1 hundred.




As children move on to decimals, money and decimal place value counters can be used to support learning.


100s                      10s    1s



Children to represent the counters in a place value chart, circling when they make an exchange.



*I can add two and three digit numbers*



Part of the place value chart is covered. Can you work out the calculation?

$$432 + 521 = 953$$

$$243 + 368 =$$


First use expanded method

100s	10s	1s
200	40	3
+ 300	60	8
100	10	
600	10	1

Followed by compact method:

$$\begin{array}{r} 243 \\ + 368 \\ \hline 611 \end{array}$$

There are 356 children at Morningside. 28 children join. How many are there now?



**Year 4 -Addition (When planning ensure you track back to Year 3 and forwards to Year 5)**

**National Curriculum**

- Add and subtract numbers with up to 4 digits using the formal written methods of columnar addition and subtraction where appropriate
- Estimate and use inverse operations to check answers to a calculation
- Solve addition and subtraction two step word problems in context, deciding which operations and methods to use and why.

**Potential barriers/misconceptions**







- Children sometimes begin adding with the left hand column first
- Pupils line up numbers from left to right rather than right to left. i.e.  $3056 + 254$ :

Th	H	T	O
3	0	5	6
2	5	4	

- Not understanding the concept of 'regroup' when a number totals more than ten, hundred etc.
- As numbers get larger pupils miscalculate because of lack of understanding of place value
- Some pupils will not remember to add the ten/hundred that they have regrouped
- Pupils don't use estimation skills to predict answer
- Lack of understanding around value of decimal numbers
- Forgetting to include or line up decimal point

**Daily Mental calculation practice to develop fluency in key skills:**

- Rapid recall of all addition facts to 20. (e.g. all pairs of numbers to 15)
- Derive quickly related facts: e.g.  $9+6=15$ ,  $90+60=150$ ,  $900+600=1500$
- Derive quickly number pairs that make 100.  $34 + \square = 100$ ;  $\square + 45=100$
- Derive pairs of multiples of 50 that total 1000: e.g.  $250+750$
- Derive quickly addition doubles from:  $1+1$  to  $50+50$  e.g.
- Double 46 Multiples of 10 from  $10+10$  to  $500+500$ : e.g. double 280
- Multiples of 100 from  $100+100$  to  $5000+5000$ : e.g. double 17000
- Count on from any given number in repeated steps of 1,10,100,1000
- Partition into hundreds, tens and ones to add mentally
- Add or subtract the nearest multiple of 10, 100 or 1000 and adjust: add 9, 19, 29 or 11, 21, 31 to any number. e.g.  $48+ 61 = 48+60+1$
- Identify addition and subtraction facts for any given algorithm.
- Add three numbers mentally. (two-digit and one digit)
- Add three digit multiples of 10: e.g.  $430+360$  or  $570+260$
- Find what to add to a three-digit number to make the next higher multiple of 100. e.g.  $246+ \square = 300$
- Add numbers to 1 decimal place to make the next whole number.  $3.4 + \square = 4.0$

Objective & Strategy	Concrete	Pictorial	Abstract
<b>Add numbers with up to 4 digits</b>	<p>Children continue to use dienes or pv counters to add, exchanging ten ones for a ten and ten tens for a hundred and ten hundreds for a thousand.</p> <p>Move to using place value counters</p> 	<p>Draw representations using pv grid.</p> 	<p>Continue from previous work to carry hundreds as well as tens.</p> 
<b>Regroup numbers in different ways</b>	<p><b>Part part whole</b> Regroup 3-digit and 4-digit integers flexibly and in multiple ways.</p>  <p>236 can be regrouped into 220 and 16.</p>	<p><b>Regrouping</b></p> <p>This can be adapted to 'Think 100' 376 + 158</p>  	<p><math>376 + 158 = 376 + 24 + 34 + 100</math></p> 

**Year 5 -Addition (When planning ensure you track back to Year 4 and forwards to Year 6)**

**National Curriculum:**




- Add and subtract whole numbers with more than 4 digits, including formal written methods (column addition and subtraction)
- Add and subtract numbers mentally with increasingly large numbers.
- Use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy
- Solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why

**Potential barriers/misconceptions:**

- As numbers get larger, pupils miscalculate due to lack of understanding of place value
- Some pupils will not realise that they need to add the regrouped number
- Pupils sometimes forget to line up the decimal points when adding using the column method- particularly when adding mixed amounts. e.g. £4.50 + 72p

**Daily Mental calculation practice to develop fluency in key skills:**

- Practise mental calculations with increasingly large numbers to aid fluency (e.g.  $12,462 + 4200 = 16,662$ )
- Add four-digit multiples of 100 e.g.  $3700 + 4500$
- Add three or more digit multiples of 100 e.g.  $400 + 800 + 500$
- Add a single-digit multiple of 100 to a three or four-digit number crossing 1000 e.g.  $300 + 876 = \square$ ,  $300 + \square = 1176$ ,  $\square + 876 = 1176$  &  $38 + 500 = \square$
- Add a three-digit multiple of 10 to a three digit number without crossing the hundreds boundary. e.g.  $230+364$ ,  $460+518$
- Find what to add to a three digit number to make the next higher multiple of 100. E.g.  $651 + \square = 700$
- Find what to add to a decimal with units and tenths to make the next higher whole number e.g.  $8.25 + \square = 9.0$ .
- Practice estimating to predict and check answers rounding to nearest 10 or 100

Objective & Strategy	Concrete	Pictorial	Abstract
Add numbers with more than 4 digits. Add decimals with 2	As Year 4  Introduce decimal place value counters and model exchange for addition.		Relate to money and measures. $\begin{array}{r} 72.8 \\ + 54.6 \\ \hline 127.4 \\ 11 \end{array}$ $\begin{array}{r} £ 23.59 \\ + £ 7.55 \\ \hline £ 31.14 \end{array}$ Missing number problems $\begin{array}{r} 34 \square 2 \\ + 1329 \\ \hline 4791 \\ 1 \quad 1 \end{array}$ $\begin{array}{r} 1.\square 7 \\ + 0.91 \\ \hline 2.68 \end{array}$
Rounding to the nearest 10 and 100	Round off 2157 to the nearest 10:  2157 is between 2150 and 2160. It is nearer to 2160 than to 2150. 2157 is 2160 when rounded off to the nearest ten $\approx 2160$	Round <u>162</u> to the nearest ten. 	To estimate: <b>1296 + 2508</b> Children encouraged to articulate their thinking: '3800 is my estimate because I rounded 1296 to 1300 and 2508 to 2500 = 3800' (To check I did $1300 + 2508 = 3808 - 4 = 3804$ )

**Year 6 -Addition (When planning ensure you track back to Year 5 for progression)**

**National Curriculum**

- Perform mental calculations, including with mixed operations and large numbers.
- Use their knowledge of the order of operations to carry out calculations involving the four operations
- Solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why
- Solve problems involving addition, subtraction, multiplication and division.
- Use estimation to check answers to calculations and determine, the in context of a problem, an appropriate degree of accuracy

**Daily Mental calculation practice to develop fluency in key skills:**

- Find the difference by counting up through the next multiple of 10, 100 or 1000:  
 $7000 - 3675$  is  $+5 + 20 + 300 + 3000 = 3325$
- Identify near doubles:  $421 + 387 = 808$  (double 400 plus 21 minus 13)
- Add or subtract the nearest multiple of 10, 100 or 1000 adjust: add 0.9, 1.9, 2.9 or 1.1, 2.1, 3.1 etc. by adding 1,2,3 and adjusting by 0.1.
- Add or subtract four digit multiples of 100
- Find what to add to a decimal with units, 10th and 100ths to make the next higher whole number or 10th. What must be added to 7.78 to make 8?
- Add or subtract a pair of decimal fractions each less than 1 and with up to 2 decimal places

**Potential barriers/misconceptions**

- Unless a pupil has a good understanding of place value they will continue to make mistakes with column addition.
- Such errors are often dismissed as common mistakes, when the pupil in fact has a fundamental weakness in their understanding
- When adding the decimals such details are highlighted with the positioning of the decimal point
- Pupils get mixed up with operation and signs when there are subtraction and negative signs in a problem. i.e. important to refer to operation as subtract/ add and these signs as positive/negative

**Objective & Strategy**

Add several numbers of increasing complexity. Including adding money, measure and decimals with

**Concrete**

$34,538 + 24,747 = \square$

**Pictorial**

**Abstract**

$23,509 + 48,253$

TTH	TH	H	T	O
20,000	3,000	500	0	9
+ 40,000	8,000	200	50	3
60,000	11,000	700	50	12
				= 71,762

2	3	5	0	9
+ 4	8	2	5	3
1			1	
7	1	7	6	2

8	1	0	5	9
		3	6	8
		1	5	3
		2	0	5
		1	2	0
		1	1	1

Insert zeros for place holders.

2	3	·	3	6	1
			9	·	0
			5	9	·
			1	·	3
			9	3	·
			2	1	·

# Subtraction

## EYFS 1 – Subtraction (When planning ensure you track forwards to EYFS 2 & Year 1)

### Early Learning Goal 11



- Children count reliably with numbers from 1 to 20, place them in order (see number and place value) and say which number is one more or one less than a given number
- Using quantities and objects, they add and subtract two single-digit numbers and count on or back to find the answer.

### Potential barriers/misconceptions


- Unable to recite numbers in the correct order
- Not associating number names with objects in group
- Unable to count without putting in line or touching
- Not being able to 'hold' the number they started with when taking away from the group
- Not knowing the number order when counting backwards.

### Mental strategies (can revisited throughout day once concept has explicitly shared):

- Join in rhymes and sing songs such as: Five little ducks went swimming one day; Five little speckled frogs; Five little monkeys jumping on the bed; Five current buns in the baker's shop; Alice the camel has ten humps; Ten green bottles; One man went to mow...
- Say the number name that goes before a given number. Count forwards and backwards using a counting stick

Objective & Strategy	Concrete	Pictorial	Abstract
To recognise 1 less	<p>Progression to the bar model Children start by subtracting objects from a group</p>  <p>What is one less than 4?</p> <p>Children then use unifix cubes, counting back from the greater number, to find the total number of cubes.</p>  <p><math>4 - 1 = 3</math></p>	 <p style="font-size: small;">Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.</p> 	<p>To read aloud:</p> <div style="border: 1px solid black; border-radius: 50%; padding: 10px; display: inline-block;"> <math>7 - 3 = 4</math> </div> <p>Knowing that - is subtract/ take away = is equals</p>

To count back



Move the beads along the bead string as you count backwards.



$$7-3=4$$

## Year 1 – Subtraction (When planning ensure you track forwards to Year 2)

### National Curriculum:








- Read, write and interpret mathematical statements involving addition (+), subtraction (-) and equals (=) signs
- Represent and use number bonds and related subtraction facts within 20
- Add and subtract one-digit and two-digit numbers to 20 including zero
- Solve one step problems that involve addition and subtraction, using concrete objects and pictorial representations, and missing number problems such as  $7 = \square - 9$







### Potential barriers/misconceptions:







- Lack of confidence in numbers bonds within ten, to ten and to twenty will prohibit children from fully understanding the rules of commutativity
- Children are confident with counting 'up' but have limited experience counting backwards from any given number
- Don't associate number facts (e.g.  $13+4=17$  and  $17-4=13$ ) as they don't see + and - as inverse.

### Mental strategies:

- Counting stick: counting forwards and backwards in steps (not only of ones) from any given number
  - $7-3 = \square$  count back in ones from 7
  - $15-3=$  count back in ones from 15
  - $18 - 6=$  count back in twos from 18
- To use 'count back from' strategies. ( $8-6= 7,6,5,4,3,2\dots =2$ )
- To use 'count back to' strategies. ( $8-6 = 7,6 = 2$ )
- Find a small difference by counting up (When two numbers are close together i.e.  $15-12=3$  counting up from 12 to 15 gives 3.) Subtract ten from a teens number:  $19-10= \square\square\square 19-\square = 9; \square-10= 9$
- Subtract ten from any two digit number, without crossing: 100:  $49-10 = \square; 49 - \square = 10 ; \square-10 = 39$
- Subtract a pair of multiples of ten without crossing 100:  $50-20=\square ; 50 - \square = 30 ; \square - 20 = 30$

Objective & Strategy	Concrete	Pictorial	Abstract
Taking away ones	<p>Use physical objects, counters, cubes etc to show how objects can be taken away.</p>  <p><math>6 - 4 = 2</math></p> <p><math>4 - 2 = 2</math></p>	<p>Cross out drawn objects to show what has been taken away.</p>  <p><math>15 - 3 = 12</math></p>	<p><math>4 - 3 =</math></p>  <p><math>\square = 4 - 3</math></p> <p><math>4</math></p> <p><math>3</math>   <math>?</math></p>
Counting back	<p>Move the beads along the bead string as you count backwards.</p>  <p>Counting back (using number lines or number tracks) children start with 6 and count back 2.</p> <p><math>6 - 2 = 4</math></p> 	 <p><math>5 - 3 = 2</math></p> <p>Count back in ones using a number line.</p> <p>Next step – empty number line</p> 	<p>Put 13 in your head, count back 4. What number are you at?</p> <p><math>6 - 4 = \square</math></p>

<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Find the difference</b></p>	<p>Compare objects and amounts:</p>  <p>The difference between 11 and 14 is 3.</p> <p>Finding the difference (using cubes, Numicon or Cuisenaire rods, other objects can also be used).</p> <p>Calculate the difference between 8 and 5.</p> 	<p>Children to draw the cubes/other concrete objects which they have used or use the bar model to illustrate what they need to calculate.</p>  <p>Count on using a number line to find the difference.</p> 	<p><i>8 is 3 more than 5</i>  <math>8 - 5 = 3</math>  <i>The difference between 8 and 5 is 3</i></p> <p>Children to explore why  <math>9 - 6 = 8 - 5 = 7 - 4</math> have the same difference.</p> <p><i>Jack is 11 and his sister is 5. How much older is Jack?</i></p>
	<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Represent and use number bonds and related subtraction facts within 20</b></p>	 <p>Link to addition. Use PPW model to model the inverse.</p> <p>If 10 is the whole and 6 is one of the parts, what's the other part?</p> $10 - 6 = 4$	 <p>Use pictorial representations to show the part.</p>

<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Bridging 10</b></p>	 <p>Make 14 on the ten frame. Take 4 away to make ten, then take one more away so that you have taken 5.</p> <p style="text-align: center;"><math>14 - 5</math></p>	<p style="text-align: center;"><math>13 - 7</math></p>  <p>Jump back 3 first, then another 4. Use ten as the stopping point.</p>	<p style="text-align: center;"><math>16 - 8 =</math></p> <p>How many ones should we subtract first? (6). How many 1s do we still need to subtract?</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Bar model</b></p>	<p><math>5 - 2 = 3</math></p>  <p>Three and two is five</p>  <p>Five subtract three is two</p>  <p>Five subtract two is three</p>	 <p style="text-align: center;"><math>5 - 2 = 3</math></p>	<p><math>5 - 2 = 3</math>  <math>5 - 3 = 2</math>      Inverse  <math>3 + 2 = 5</math>  <math>2 + 3 = 5</math></p> <p>(number families) If we know that... then what other facts do we know?</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Apply inverse</b></p>	<p style="background-color: #0070C0; color: white; padding: 2px; text-align: center;"><b>Core skill: APPLYING THE INVERSE</b></p> <p><b>Think addition</b> to solve subtraction – leading to greater understanding that if we know one part we can use that to find the unknown part.</p> <p><math>8 - 3</math></p>   <div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid orange; border-radius: 15px; padding: 5px; background-color: #FFDAB9;"> <p>I can see that eight can be split into three and five.</p> </div> <div style="border: 1px solid orange; border-radius: 15px; padding: 5px; background-color: #FFDAB9;"> <p>I know that five and three are eight.</p> </div> </div> <div style="border: 1px solid orange; border-radius: 15px; padding: 5px; background-color: #FFDAB9; margin-top: 10px; width: fit-content; margin-left: auto; margin-right: auto;"> <p>I can see that five more than three is eight.</p> </div>	<p><math>8 - 3</math></p>  	<p><math>8 - \underline{\quad} = 3 =</math></p> <p><math>8 - 3 = \underline{\quad}</math></p>

## Year 2 – Subtraction (When planning ensure you track forwards to Year 3)

### **National Curriculum** Solve problems with addition and subtraction:



- Using concrete and pictorial representations, including those involving numbers, quantities and measures.
- Applying their increasing knowledge of mental and written methods.
- Recall and use addition and subtraction facts to 20 fluently, and derive and use related facts up to 100
- Add and subtract numbers using concrete objects, pictorial representations, and mentally, including:
  - A two-digit number and ones
  - A two-digit number and tens
  - Add two two-digit numbers
  - Adding three one digit numbers
- Show that the addition of two numbers can be done in any order (commutative) and subtraction of one number from another cannot
- Recognise and use the inverse relationship between addition and subtraction and use this to check calculations and solve missing number problems







### **Potential barriers/misconceptions:**

- Avoid telling children ‘you can’t take a big number away from a smaller number’ you can - this will then go into negative numbers. This could lead to misconceptions at a later point.
- Children may not understand the commutative law and believe that it is possible to change any addition and subtraction around.
- Children sometimes regroup but see the new number as one and not ten.
- Pupils may struggle to see ‘find the difference’ as a form of subtraction.
- This can be linked to lack of consolidated skills in counting on and back.
- Challenge in recalling addition and subtraction facts to 20
- Difficulty using mental strategies to add and subtract two digit numbers

### **Mental strategies**

- To know by heart all addition and subtraction facts for each number to 20
- To use number bonds for mental subtraction.  $9-4= \square$  (Think of addition: 4 and 5 make 9 therefore  $9-4=5$ )
- To subtract multiples of ten from any two-digit number
- To add and subtract mentally a ‘near multiple of ten’ to or from a two-digit number ( $15+39 = 1+39+10+4=54$ )
- To find pairs of numbers with a difference of 10, a difference of 9 etc.
- To find a small difference when counting up;  $84-78 = 79,80,81,82,83,84 = 6$
- To mentally subtract 11 or 21 or 9 or 19 from any two-digit number;  $70-11=59$  as it is the same as  $70-10-1= 59$   $24-9=15$  because it’s the same as  $24-10+1 = 15$
- Add or subtract any single digit from any two-digit number without crossing the tens boundary ( $86-\square=82$ )
- Subtract multiples of ten without crossing 100. ( $90-40=\square$ )
- Subtract multiples of 100 without crossing 1000 ( $700 - 300 = \square$ )
- Use number bonds to find a small difference between a pair of numbers lying either side of a multiple of 10 ( $102-97 = 2+3 = 5$ )

Objective & Strategy	Concrete	Pictorial	Abstract								
Regroup a ten into ten ones	 <p>Use a PV chart to show how to change a ten into ten ones, use the term 'take and make'</p>	 $20 - 4 =$	$20 - 4 = 16$								
2s-10's	$44 - 30 =$ 	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">T</td> <td style="text-align: center;">O</td> </tr> <tr> <td style="text-align: center;">    </td> <td style="text-align: center;">□□</td> </tr> <tr> <td style="text-align: center;">///</td> <td style="text-align: center;">□□</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">4</td> </tr> </table>	T	O		□□	///	□□	1	4	$\begin{array}{r} 44 \\ - 30 \\ \hline 14 \end{array}$
T	O										
	□□										
///	□□										
1	4										
2d-2d	$44 - 23 =$ 	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">T</td> <td style="text-align: center;">O</td> </tr> <tr> <td style="text-align: center;">    </td> <td style="text-align: center;">□□</td> </tr> <tr> <td style="text-align: center;">///</td> <td style="text-align: center;">□□</td> </tr> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">1</td> </tr> </table>	T	O		□□	///	□□	2	1	$\begin{array}{r} 44 \\ - 23 \\ \hline 21 \end{array}$
T	O										
	□□										
///	□□										
2	1										
2d-2d (crossing 10)	$44 - 27 =$  <p style="text-align: center; color: red;">Exchange</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">T</td> <td style="text-align: center;">O</td> </tr> <tr> <td style="text-align: center;">    </td> <td style="text-align: center;">□□</td> </tr> <tr> <td style="text-align: center;">///</td> <td style="text-align: center;">□□</td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">7</td> </tr> </table>	T	O		□□	///	□□	1	7	$\begin{array}{r} 3 \quad 1 \\ 44 \\ - 27 \\ \hline 17 \end{array}$
T	O										
	□□										
///	□□										
1	7										

<p><b>Partitioning to subtract without regrouping</b></p>	 <p><math>34 - 13 = 21</math></p> <p>Use Dienes to show how to partition the number when subtracting without regrouping.</p>	<p>Children draw representations of Dienes and cross off.</p>  <p><math>43 - 21 = 22</math></p>	<p><math>43 - 21 = 22</math></p> <p><math>40 + 3</math>  <math>- 20 + 1</math>  <hr/> <math>20 + 2</math></p> <table border="1" data-bbox="1892 151 2072 327"> <tr><td></td><td>4</td><td>8</td></tr> <tr><td>-</td><td></td><td>7</td></tr> <tr><td colspan="2"><hr/></td><td></td></tr> <tr><td></td><td>4</td><td>1</td></tr> </table>		4	8	-		7	<hr/>				4	1
	4	8													
-		7													
<hr/>															
	4	1													
<p><b>Make ten strategy</b>  <b>Progression should be crossing one ten,</b></p>	 <p><math>34 - 6</math>  Count back 4 to bridge 10. Then count back remaining 2 using knowledge of pairs to 10</p>	<p>Use a number line to count on to next ten and then the rest.</p> <p><math>15 - 7 = 8</math></p>   <p>'counting on' to find 'difference'</p>	<p><math>15 - 7 = 8</math></p> <p><math>93 - 76 = 17</math></p>												
	<p>Making 10 using ten frames.</p> <p><math>14 - 5</math></p> 	<p>Children to present the ten frame pictorially and discuss what they did to make 10.</p> 	<p>Children to show how they can make 10 by partitioning the subtrahend.</p> <p><math>14 - 5 = 9</math></p>  <p><math>14 - 4 = 10</math>  <math>10 - 1 = 9</math></p>												

## Year 3 – Subtraction (When planning ensure you track forwards to Year 4)

### National Curriculum:

- Add and subtract numbers mentally, including:
  - A three-digit number and ones
  - A three- digit number and tens
  - A three- digit number and hundreds
- Add and subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction
- Estimate the answer to a calculation and use inverse operations to check answers
- Solve problems, including missing number problems, using number facts, place value and more complex addition and subtraction











### Potential barriers/misconceptions:

- Children sometimes begin subtracting with the left hand column first
- In tens and ones and other formal vertical calculations, children sometimes take the smaller unit number from the larger, regardless of whether it is part of the larger or the smaller number. e.g.  $945 - 237 = 712$
- When the teacher uses the phrase ‘near multiple of ten’ for mental strategies children often get confused with needing to use multiplication as the operation.

### Mental strategies (All calculations must also use missing number problems $\square\square$ ):


- Use number bonds to mentally subtract a one-digit number from:
  - a two-digit number within 100 with or without regrouping (ten as the middle stage:  $62 - 7 = 62 - 2 - 5 = 60 - 5 = 55$ )
  - a three-digit number within 1000 with or without regrouping in tens and ones
  - tens from a three-digit number within 1000 with or without regrouping in hundreds into tens
  - Hundreds from a three-digit number without regrouping
- Subtract a single digit from a multiple of 10. ( $600 - 7 = 593$ ) ( $600 - \text{đ} = 593$ )
- Subtract a pair of multiples of 10, crossing 100. ( $120 - 30 = 90$ ) ( $\text{đ} - 30 = 90$ )
- Subtract a multiple of 10 from a two-digit number crossing 100 ( $112 - 30 = 82$ ) ( $112 - \text{đ} = 82$ )
- Subtract a pair of multiples of 100 crossing 1000 ( $1500 - 800 = 700$ ) ( $1500 - \text{đ} = 700$ )
- Subtract 100 from any three-digit number, without crossing 1000 ( $809 - 100 = 709$ ) ( $\text{đ} - 100 = 709$ )
- Consolidate subtracting a single digit from a ‘teens’ number, crossing 10 (use two steps and cross ten as the middle stage:  $15 - 8 = 7$  I know this because  $15 - 5 - 3 = 10 - 3 = 7$ )
- Find pairs of numbers with a difference of 29, 16.
- Find the difference between two numbers that are close together by counting up. ( $504 - 498 = 2 + 4 = 6$ ) ( $1003 - 992 = 992 + 8 + 3 = 1003 = 11$ )

- Mentally subtract 9,19,29... or 11,21,31 from any two-digit number without crossing 100
- Develop and recognise a pattern such as  $68-5=63$ ,  $68-15=53$ ,  $68-25=43$  therefore  $68-45=23$
- Say the subtraction fact corresponding to a given addition fact:  
 $56+27=83$  therefore  $83-27=56$

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Column subtraction without regrouping</p>	<p>Use base 10 or Numicon to model</p> 	<p>Draw representations to support understanding</p> 	<p>Intermediate step may be needed to lead to clear subtraction</p> $47 - 24 = 23$   <p>understanding.</p>
<p>Column subtraction with regrouping</p>	<p>Begin with base 10 or Numicon. Move to place value counters, modelling the exchange of a ten into ten ones. Use the phrase 'take and make' for exchange.</p> 	<p>Represent the base 10 pictorially, remembering to show the exchange.</p>   <p>234-88 = 146</p>	<p>Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because 41 = 30 + 11.</p>  <p>Then move to formal method.</p>  

**Subtracting near  
multiples of 10  
and  
compensating**

Subtracting tens and adding extra ones. Pupils must be taught to round the number that is being subtracted. Pupils will develop a sense of efficiency with this method, beginning to identify when this method is more efficient than subtracting tens and then ones.



$$53-17=36$$

## Year 4 – Subtraction (when planning ensure you track forwards to Year 5)

### National Curriculum:









- Add and subtract numbers with up to 4 digits using the formal written methods of column addition and subtraction where appropriate
- Estimate and use inverse operations to check answers to a calculation
- Solve addition and subtraction two step word problems in context, deciding which operations and methods to use & why








### Potential barriers/misconceptions:

- When using the column method pupils sometimes begin subtracting with the left hand column first.
- In tens and ones and other formal vertical calculations, children sometimes take the smaller unit number from the larger, regardless of whether it is part of the larger or the smaller number. e.g.  $945 - 237 = 712$
- Children may have been incorrectly told ‘you can’t take a big number away from a small number’. This will cause misconceptions when children start to work in negative numbers. Pupils don’t use estimation skills to predict answer
- Lack of understanding around value of decimal numbers
- Forgetting to include or line up decimal point

### Mental strategies

- Consolidate knowing by heart all addition and subtraction facts to 20; e.g. all the pairs for 15:  $10+5=15$ ,  $5+10=15$ ,  $9+6=15$ ,  $6+9=15$ ,  $8+7=15$ ,  $7+8=15$  and  $15-5=10$ ,  $15-10=5$ ,  $15-6=9$ ,  $15-9=6$ ,  $15-7=8$ ,  $15-8=7$  Know how many steps are taken forwards (+) or backwards (-) when moving on a numberline. i.e. To get from 18 back to 6.
- Derive quickly related facts:  $160-90=70$  therefore  $1600-900=700$  ( $1.6-0.9=0.7$ )
- Find the difference by counting up through the next multiple of 10, 100 or 1000. i.e. count from smaller to larger number i.e.  $483-386$  Count back in repeated steps of 1, 10, 100, 1000 from any given number. i.e.  $2003-8=1995$  (counting back in 1s from 2003) or  $387-50=337$  (counting back in 10s from 387)
- Partition into hundreds tens and ones:  $98-43 = 98-40-3 = 55$
- Subtract the nearest multiple of 10, 100 or 1000 and adjust. i.e. 9, 19, 29 or 11, 21, 31 etc ( $84-19=65$  because  $84-20+1=65$ ) ( $128-67=61$  because it is  $128-70+3=58+3=61$ )
- Use the relationship between addition and subtraction (*If I know  $36+19=55$  then I also know:  $19+36=55$ ,  $55-36=19$ ,  $55-19=36$* ).
- Work out mentally one fact: ( $91-25=\square$ ) and then state the other three related facts
- Subtract two-digit multiples of 10 ( $130-50=\square$ )
- Subtract a pair of multiples of 100, crossing 1000 ( $\square-600=900$ )
- Subtract a multiple of ten from a two or three-digit number without crossing hundreds ( $76-\square=36$ )
- Subtract a single-digit from a multiple of 10 or 100 ( $4000-3=\square$  or  $\square-3=4997$ )
- Subtract a single-digit from a three or four-digit number crossing tens ( $7003-6899=\square$  or  $5952-\square=5949$ )
- Find a small difference between a pair of numbers lying either side of a multiple of 1000 ( $7003-6988=15$  by counting up 2 from 6988 to 6990 then 10 to 7000, then 3 to 7003)

Objective & Strategy	Concrete	Pictorial	Abstract
To subtract up to 4 digit numbers (no regrouping)	<p>Model process of exchange using Numicon, base ten and then move to place value counters.</p> 	<p>563-241</p> 	<p>563 - 241 = 322</p> 
To subtract up to 4 digit numbers with regrouping	<p>Column method using place value counters. 234 - 88</p>  <p>1.5 - 0.7 = 15 tenths - 7 tenths = 8 tenths = 0.8</p> 	<p>Represent the place value counters pictorially, remembering to show what has been exchanged.</p> 	<p>Formal column method. Children must understand what has happened when they have crossed out digits.</p>  <p>Children can start their formal written method by partitioning the number into clear place value columns.</p>  <p>Moving forward the children use a more compact method.</p> <p>This will lead to an understanding of subtracting any number including decimals.</p> 

<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>To subtract with numbers that have zero</b></p>	<p>2000-247=</p>  <p>(although shown visually in the column this could also be solved using the number line)</p>	 <p><math>2000 - 247 = 1753</math></p>	<p>Sam, Lucas and Jemima are solving the calculation <math>7000 - 3582</math>. Here are their methods.</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>Sam</p>  </div> <div style="text-align: center;"> <p>Lucas</p>  </div> <div style="text-align: center;"> <p>Jemima</p>  </div> </div> <p>Who is correct? Can you explain how each child has reached their answer? Whose method is the most efficient? Use the different methods to solve <math>4000 - 2831</math></p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>To round to the nearest 10/100 to estimate answers</b></p>	<p><b>78 to nearest 10</b></p>  <p><b>235 to nearest 100</b></p> 	 <p><math>237</math> rounds to <math>200</math></p>	<p>-Estimate the position of a point on a line.</p>  <p>0 <span style="float: right;">328</span></p> <p>-Use rounding to estimate answer. <math>328 - 189 = 330 - 200 = 130</math> (actual answer: 139)</p>

## Year 5 – Subtraction (When planning ensure you track forwards to Year 6)

### National Curriculum:








- Add and subtract whole numbers with more than 4 digits, including formal written methods (column addition and subtraction)
- Add and subtract numbers mentally with increasingly large numbers
- Use rounding to check answers to calculations and determine, in the context of a problem, levels of accuracy. Solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why.

### Potential barriers/misconceptions:

- Misconceptions can occur when decomposing from a 'high' number. e.g.  $9000 - 3654$ . Some pupils will attempt subtraction calculations using the formal written method, failing to recognise that it would be more efficient to calculate the answer mentally.
- Misconceptions occur when pupils (and teachers) use inaccurate language e.g.  $2367 - 1265$  When talking about  $2000 - 1000$  they may refer to this as  $2-1$ , unaware of the place value of each number.
- Children can often misplace the decimal point when subtracting decimal numbers.

### Mental strategies:

- Derive quickly related facts such as:  $150-80=70$ ,  $1500-800=700$  and  $1.5-0.8=0.7$
- Find a difference by counting up through the next multiple of 10, 100 or 1000 ( $8006-2993=\square$  count up from the smaller to the larger number)
- Subtract the nearest multiple of 10, 100 or 1000 and adjust ( $4005-1997=2008$  because it is  $4005-2000+3=2008$ )
- Recognise that knowing a fact such as  $136+319=455$  makes it possible to find  $455-318$  and  $455-137$
- Work out mentally one fact such as  $101-25$  and be able to state the three other facts in the number family
- Given the numbers 135, 228 and 363 say or write the four different sentences relating to these numbers
- Subtract multiples of 10 and 100 ( $620-380=\square$  and  $6200-3800=\square$ )
- Subtract a single digit multiple of 100 from a four digit number crossing 1000 ( $1263-400=\square$ )
- Subtract a three digit multiple of 10 from a three digit number without crossing the hundreds boundary ( $742-210=\square$ ,  $742-\square=532$ ,  $\square-210=532$ )
- To find what to add to a three digit number to make the next higher multiple of 100. ( $651+\square=700$ )
- Find what to add to a decimal with units, tenths and hundredths ( $5.71+\square=7$ ) Find the difference between a pair of numbers lying either side of a multiple of 1000 ( $8004-\square=19$ )
- Subtract a pair of decimal fractions each less than 1 and with up to two decimal places ( $0.7-0.26$ )

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Subtract with at least 4 digits, including money and measures (regrouping in the 1000s, 100s, 10s and 1s). Identify common misconceptions.</p>	<p>Track back to year 4 for progression</p>  <p>When we subtract 1926 from 4249 we get 2323</p> <p>3.24 - 1.06 = ?</p>  <p>• Column subtraction</p>	<p>Children to draw place value counters and show their exchange</p>  <p>£5.50 - 38 p</p> <p>Regroup when 8 hundredths cannot be subtracted from 0 hundredths.</p>  <p>5.5 - 0.38 = £5.12</p> <p>We can write 5.5 as 5.50</p> <p>Remember to align the decimal point!</p>	<p>4249 - 1926 = 2323</p>  <p>Use the inverse to find the value in the box:</p>  <p>3357 + 2643 = 6000 (the missing value is 6)</p> <p>Use zeros for place</p> <p>Compact column subtraction (with exchanges)</p>  <p>Subtracting with large numbers</p> <p>Children who are still not secure with number facts and place value will need to remain on the partitioned column method until ready for the compact method</p>

**Year 6 – Subtraction (When planning ensure you consolidate all methods from KS2)**

**National Curriculum:**




- Perform mental calculations, including with mixed operations and large numbers.
- Use their knowledge of the order of operations to carry out calculations involving the four operations
- Solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why.
- Solve problems involving addition, subtraction, multiplication and division
- Use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy.

**Potential barriers/misconceptions:**

- Pupils without a strong foundation in place value will continue to make mistakes with column subtraction. These are not 'careless mistakes' but fundamental misconceptions.
- When subtracting with decimals such weaknesses are highlighted because of the decimal point.
- Pupils are uncertain about the order of operations when carrying out calculations.
- Pupils are unable to accurately estimate and use the inverse to check.


**Mental strategies (building on mental strategies from Y5):**

- To find the difference by counting up through the next multiple (count up from the smaller to larger number mentally:  $8000-2785$  is  $5 + 10 + 200 + 5000 = 5215$ )
- Subtract 0.9, 1.9, 2.9 or 1.1, 2.1, 3.1 by subtracting 1,2,3 then adjusting by 0.1
- Work out mentally one fact  $4.97-1.58$  and then state three other related facts  
Subtract four digit+ multiples of 100 ( $570,000 + 250,000 = \square$ )
- Find what to add to a decimal with units, 10ths and 100ths to make the next higher whole number or 10th.
- Subtract a pair of decimal fractions each less than 1 and with up to two decimal places.
- Subtract numbers with different numbers of digits.
- Find the difference between 4387 and 782 = 175

Objective & Strategy	Concrete	Pictorial	Abstract
<p><b>Subtract with increasingly large and more complex numbers (refer back to year 5) and</b></p>	<p><math>3.24 - 1.06 = 2.18</math></p> <p>3 ones 2 tenths 4 hundredths 3 ones 1 tenth 14 hundredths</p>  <p>First subtract the hundredths</p> $\begin{array}{r} 3.24 \\ - 1.06 \\ \hline 2.18 \end{array}$ <p>14 hundredths - 6 hundredths = 8 hundredths Then subtract the tenths:</p> $\begin{array}{r} 3.24 \\ - 1.06 \\ \hline 2.18 \end{array}$ <p>1 tenth - 0 tenths = 1 tenth</p> <p>Lastly subtract the ones:</p> $\begin{array}{r} 3.24 \\ - 1.06 \\ \hline 2.18 \end{array}$ <p>3 ones - 1 one = 2 ones</p>	<p>Use own place value grids and drawings to reinforce conceptual understanding</p> <p><math>4,249 - 1,926 = 2,323</math></p> 	 <p><i>Pupils should be able to apply their knowledge of a range of mental strategies, mental recall skills, and informal and formal written methods when selecting the most appropriate method to work out subtraction problems.</i></p>
<p><b>To understand the order of brackets and use estimating</b></p>	<p>There were 94 players in Arsenal juniors. Last year 21 players left and 39 joined. How many players are there now in Arsenal Juniors?</p> <p>There were 94 players in Arsenal juniors. Last year 21 players left and 39 joined. How many players are there now in Arsenal Juniors?</p> $\begin{array}{r} 94 - 21 + 39 \\ \hline 73 + 39 \\ \hline = 112 \end{array}$  <div style="border: 1px solid black; padding: 5px; width: fit-content;"> <p>Standard order of operations:</p> <ol style="list-style-type: none"> <li>1) Do the operation in brackets</li> <li>2) Do operation involving indices</li> <li>3) Multiply and divide in order from left to right.</li> <li>4) Add and subtract in order from left to right.</li> </ol> </div> <p>How would you use a bar model to represent this word problem?</p>	<p><math>(-3) - (-2) = -1</math></p>  <p><b>Subtracting a negative number is the same as adding:</b></p> <p>eg <math>(-5) - (-2)</math> is the same as <math>(-5) + 2 = -3</math></p>  	<div style="border: 1px solid lightblue; padding: 10px; text-align: center;"> <p><math>9 - 4 + 3 =</math></p> <p>Calculating from left to right:</p> <p><math>9 - 4 + 3 = 5 + 3 = 8</math></p> </div>

To find the difference

Find the difference between A and B.



$$A=19,000 \quad B=50,500$$

$$\begin{array}{r} 50,500 \\ - 19,000 \\ \hline 31,500 \end{array}$$

or



$$50,500 - 19,000 = 31,500$$

The difference between A and B is 31,500

At this stage children should be choosing the most efficient methods.

# Multiplication

## EYFS – Multiplication (when planning ensure you track forwards to Year 1)

### Early Learning Goal 11:





- Using quantities and objects, they add two single-digit numbers and count on or back to find the answer.
- They solve problems, including sharing, doubling and halving.

### Potential barriers/misconceptions:

- Children inaccurate when displaying arrays of cubes/objects and so pattern is not clear. Link not clear between the array and the seemingly abstract number given as the answer. Children unable to place objects in equal groups.
- Not secure with one to one correspondence counting in ones, therefore will be unable to count pairs accurately
- When counting orally in 10s: 60,70,80 follow a regular pattern which link to single digit numbers however 10, 20, 30 do not.
- Conceptual understanding of 'same' and 'different' is not secure (both language and concept).

### Mental Maths (can revisited throughout day once concept has explicitly shared):

- Count in tens (recite the sequence ten, twenty, thirty... one hundred.)
- Do the same backwards.
- Count on and back in tens from a given tens number  
Say the tens number that goes before or after a given tens number (*when you count in tens, what number comes before 60? 90?*)
- Count from a given tens number and stop at another (count on in tens from 20 and stop at 70, count back in tens from 60 and stop at 30)
- Count around in a circle of children, starting with Abdul on 20, who do you think will say 70?
- Understand odd and even numbers linked to getting 'into pairs'. Count pairs: children, socks, animals in the ark, eggs in an egg box

Objective & Strategy	Concrete	Pictorial	Abstract
<b>Can recognise equal groups</b>	<p>Use number beads to count in equal groups of 2, 5 and 10</p> <p>Can recognise when objects are put into groups of the same amount.</p> 	 <p>Write down how many groups of two you can count.</p> <p><math>2 \times 3</math> or <math>3 \times 2</math></p> <p>[two, three times] or [three groups of two]</p> 	<p>Playdough men  <math>6 + 6 = 12</math>  2 groups of 6 equals 12  6 groups of 2 equals 12  <math>6 + 6 = 12</math>  <math>2 + 2 + 2 + 2 + 2 + 2 = 12</math>  <math>2 \times 6 = 12</math>  <math>6 \times 2 = 12</math></p>
	<p>Objects that can be counted in pairs are even</p> <p>Objects that can't be counted in pairs are odd</p> 		<p><math>3 \times 2 = 6</math>  <math>2 \times 3 = 6</math></p> <p><i>Six is even because it can be shared equally into groups of 2.  3 is odd because it cannot be shared equally.</i></p>

**Year 1 - Multiplication (when planning ensure you track back to ELFS to ensure progression)**

**National Curriculum:**

- Solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.








**Potential**








**barriers/misconceptions:**

- Still counts in ones to find how many there are in a collection of equal groups; does not understand vocabulary for example 'multiplied by'
- When objects placed in arrays it may be done inaccurately therefore link between arrays and answers unclear
- Pupils may not focus on 'rows of' or 'columns of' but only see arrays as a collection of ones.
- Don't understand how 'turning the grid around' shows that multiplication can be done in any order

**Mental Maths:**






- To count in twos, fives and tens
- Count forwards and backwards in 2s from any given number
- Count forwards and backwards in 5s from any given number
- Count forwards and backwards in 10s from any given number
- Recognition of all odd and even numbers
- Rapid recall of doubles to 10 (and corresponding halves)
- Rapid recall of doubles to 20







Objective & Strategy	Concrete	Pictorial	Abstract
<b>Doubling</b>	Use practical activities using manipulatives including cubes and Numicon to demonstrate doubling 	Draw pictures to show how to double numbers Double 4 is 8 	Partition a number and then double each part before recombining it back together. 
<b>Counting in multiples</b>	Count the groups as children are skip counting, children may use their fingers as they are skip counting. 	 Children make representations to show counting in multiples. 	Count in multiples of a number aloud. Write sequences with multiples of numbers. 2, 4, 6, 8, 10 5, 10, 15, 20, 25, 30
<b>Making equal groups and counting the total</b>	Use manipulatives to create equal groups. 	Draw and make representations Draw  to show $2 \times 3 = 6$	$3 \times 4 = 12$ 

<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Repeated addition</b></p>	<p>Use different objects to add equal groups</p> 	<p>Use pictorial including number lines to solve problems</p> <p>There are 3 sweets in one bag. How many sweets are in 5 bags altogether?</p> $3+3+3+3+3 = 15$ 	<p>Write addition sentences to describe objects and pictures.</p>  <p>There are three children. Each child has five sweets. How many sweets do they have altogether?</p>  $5 + 5 + 5 = 15$ $5 \times 3 = 15$ $3 \times 5 = 15$ <p>They have 15 sweets altogether</p>
<p style="writing-mode: vertical-rl; transform: rotate(180deg);"><b>Understanding arrays</b></p>	<p>Use objects laid out in arrays to find the answers to 2 lots 5, 3 lots of 2 etc.</p> $2 \times 5 = 5 \times 2$  <p>2 lots of 5      5 lots of 2</p>	<p>Draw representations of arrays to show understanding</p>  	$3 \times 2 = 6$ $2 \times 5 = 10$

**Year 2 - Multiplication (track back to year 1 to show progression)**

<b><u>National Curriculum:</u></b>	<b><u>Potential barriers/misconceptions:</u></b>	<b><u>Mental Maths:</u></b>
<ul style="list-style-type: none"> <li>• Recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers</li> <li>• Calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication (<math>\times</math>), division (<math>\div</math>) and equals (=) signs</li> <li>• Show that multiplication of two numbers can be done in any order (commutative) and division of one number by another cannot</li> <li>• Solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts.</li> </ul>	<ul style="list-style-type: none"> <li>• Pupils may not focus on 'rows of' or 'columns of' but only see arrays as a collection of ones.</li> <li>• Don't understand how 'turning the grid around' shows that multiplication can be done in any order.</li> <li>• Not understanding that multiplication is repeated addition.</li> </ul>	<ul style="list-style-type: none"> <li>• Rapid recall of 2,5 and 10 times tables</li> <li>• Count in 5s clockwise around a clock face/ anticlockwise around a clock face</li> <li>• Count forwards and backwards in 2s, 5s and 10s from any given number. Recognition of all odd and even numbers</li> <li>• To recall related multiplication and division facts linked to other multiplication tables (<math>3 \times 4 = 12</math>, <math>4 \times 3 = 12</math>, <math>12 \div 4 = 3</math>, <math>12 \div 3 = 4</math>)</li> <li>• Rapid recall of doubles and their corresponding halves (double 12 is 24, half 24 is 12)</li> <li>• Rapid recall of half of all two-digit even numbers (half of 12, 18, 42 etc.) Recognise that multiples of 10 end in 0, 5 end in 5 and 0, 2 end in 0,2,4,6,8. Recognise two-digit multiples of 10,5,2 (65 is a multiple of 5, 72 is a multiple of 2, 50 is a multiple of 5 and 10)</li> <li>• Work out the four times table by doubling the two times table.</li> <li>• Multiply a single digit by 1 or 10 (<math>3 \times 1 = 3</math>, <math>7 \times 10 = 70</math> etc.)</li> <li>• Multiply a single digit up to 5 by 2,3,4,5. (<math>2 \times 3 = \square</math> <math>4 \times 4 = \square</math> )</li> </ul>

Objective & Strategy	Concrete	Pictorial	Abstract
<b>Doubling</b>	<p>Model doubling using dienes and PV counters.</p>  <p style="text-align: center;"><math>40 + 12 = 52</math></p>	<p>Draw pictures and representations to show how to double numbers</p> <p>Double 16</p>  <p style="text-align: center;"><math>20 + 12 = 32</math></p>	<p>Partition a number and then double each part before recombining it back together.</p>  <p style="text-align: center;"><math>20 + 12 = 32</math></p>
<b>Counting in multiples of 2, 3, 4, 5, 10 from 0 (repeated addition)</b>	<p>Count the groups as children are skip counting, children may use their fingers as they are skip counting. Use bar models.</p> 	<p>Number lines, counting sticks and bar models should be used to show representation of counting in multiples.</p> 	<p>Count in multiples of a number aloud.</p> <p>Write sequences with multiples of numbers.</p> <p>0, 2, 4, 6, 8, 10</p> <p>0, 3, 6, 9, 12, 15</p> <p>0, 5, 10, 15, 20, 25, 30</p> <p><math>4 \times 3 = \square</math></p>







<p><b>Multiplication is commutative</b></p>	<p>Create arrays using counters and cubes and numicon.</p>  <p>Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.</p> 	<p>Use representations of arrays to show different calculations and explore commutativity.</p>  	$12 = 3 \times 4$ $12 = 4 \times 3$ <p>Use an array to write multiplication sentences and reinforce repeated addition.</p>  $5 + 5 + 5 = 15$ $3 + 3 + 3 + 3 + 3 = 15$ $5 \times 3 = 15$ $3 \times 5 = 15$
<p><b>Using the Inverse</b></p> <p><i>This should be taught alongside division, so pupils</i></p>		 $\square \times \square = \square$ $\square \times \square = \square$ $\square \div \square = \square$ $\square \div \square = \square$	<p>Show all 8 related fact family sentences.</p> $2 \times 4 = 8$ $4 \times 2 = 8$ $8 \div 2 = 4$ $8 \div 4 = 2$ $8 = 2 \times 4$ $8 = 4 \times 2$ $2 = 8 \div 4$ $4 = 8 \div 2$

**Year 3 - Multiplication (track back to year 2 for progression)**


<p><b>National Curriculum:</b></p> <ul style="list-style-type: none"> <li>Recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables</li> <li>Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</li> <li>Solve problems, including missing number problems, involving multiplication and division, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects.</li> </ul>	<p><b><u>Potential barriers/misconception</u></b> <b><u>S:</u></b></p> <ul style="list-style-type: none"> <li>Children may need to go back to multiplication as an array, or repeated addition to gain security</li> <li>Some children struggle to apply partitioning and recombining when multiplying. e.g. <math>14 \times 3</math> is calculated as <math>(10 \times 3) + 4 = 34</math> Or <math>14 \times 3 = 312</math>, when they should do <math>(10 \times 3) + (3 \times 4) = 30 + 12 = 42</math></li> <li>Lack of confidence with place value sees confusion in the value of the two digits</li> <li>Children are incorrectly taught that <math>\times 10</math> involves 'adding a zero' rather than developing</li> </ul>	<p><b><u>Mental Maths:</u></b></p> <ul style="list-style-type: none"> <li>Rapid recall of 3, 4 and 8 times tables</li> <li>Count forwards and backwards in 3s from any given number</li> <li>Count forwards and backwards in 4s from any given number</li> <li>Count forwards and backwards in 8s from any given number</li> <li>To use the 2,5 and 10 times table to derive other multiplication facts (<i>if I know <math>2 \times 5 = 10</math> I also know <math>20 \times 5 = 100</math></i>)</li> <li>To know doubles of all numbers up to 50</li> <li>To know doubles of all multiples of 5 up to 100</li> <li>Observe the effect of multiplying by 10</li> <li>Multiply any single digit by 1, 10, 100 and 0</li> <li>Multiply a two-digit number by 2,3,4, or 5 without crossing the tens boundary. (<math>11 \times 5</math>, <math>23 \times 2</math>)</li> <li>Check halving with doubling</li> <li>To multiply multiples of 10 with one-digit number</li> </ul>
---	---	--

understanding of  
place value

- Also unable to see that x100 is the same as x10 and x10 again.

Objective & Strategy	Concrete	Pictorial	Abstract												
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Equal groups</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Repeated addition</p>	<p>Tract back to year 2 – arrays, to show equal groups and multiplication is commutative</p>  <p>Number lines to show repeated groups- <math>3 \times 4</math></p> <p>Cuisenaire rods can be used too.</p>	 <p>THE 'LOTS OF' MODEL <math>3 \times 4</math> is the same as <math>4 + 4 + 4</math></p> <p>Circle the buttons in groups of 4. Can you also split the buttons into 4 equal groups? How is this the same? How is it different?</p> <p>There are <u>  </u> equal groups of <u>  </u> There are <u>  </u> equal groups of 4</p>	<p><math>3 \times 4 = 12</math> <math>4 \times 3 = 12</math> <math>12 \div 3 = 4</math> <math>12 \div 4 = 3</math></p> <p><b>use the inverse</b></p> <p>Complete the bar models and the calculations.</p>  <p><math>24 \div 4 = \underline{\quad}</math> <math>\underline{\quad} \div 4 = \underline{\quad}</math></p>												
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">To understand how place value changes when multiplying by 10</p>	<table border="1" data-bbox="347 798 784 909"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>6</td> <td>4</td> </tr> <tr> <td></td> <td>6</td> <td>4</td> <td>0</td> </tr> </tbody> </table> <p><math>64 \times 10 = 640</math> When multiplying by ten the original number moves one place to the left. <b>It gets ten times bigger (X10).</b> Zero acts as a place holder in the ones.</p> <p>Partition to multiply using Numicon, base 10 or Cuisenaire rods. <math>4 \times 15</math></p> 	Thousands	Hundreds	Tens	Ones			6	4		6	4	0	<p><math>26 \times 10</math></p> 	<p><math>26 \times 10</math></p> 
Thousands	Hundreds	Tens	Ones												
		6	4												
	6	4	0												

Partition into 10s and 1s




Then multiply the tens by 3

$$\begin{array}{r} 12 \\ \times 3 \\ \hline 36 \end{array}$$

1 ten x 3 = 3 tens

Children to represent the concrete manipulatives pictorially.



$$4 \times 15 = 60$$


$$\begin{aligned} 4 \times 10 &= 40 \\ 4 \times 5 &= 20 \\ 40 + 20 &= 60 \end{aligned}$$

Introduce grid method for two-digit by a one-digit number

24 x 3 =

20 x 3 = 60  
4 x 3 = 12  
60 + 12 = 72

Visual link to arrays



$$24 \times 3 = 72$$

60 + 12 = 72





This may lead onto the formal method which is taught alongside pictorial methods, but children are not expected to be secure in this method until year 4.

$$\begin{array}{r} 24 \\ \times 3 \\ \hline 72 \\ \hline 1 \end{array}$$

## Year 4 – Multiplication (track back to year 3 for progression)


<b><u>National Curriculum:</u></b>	<b><u>Potential barriers/misconception s:</u></b>	<b><u>Mental Maths:</u></b>
<ul style="list-style-type: none"> <li>• Recall multiplication and division facts for multiplication tables up to <math>12 \times 12</math></li> <li>• Use place value, known and derived facts to multiply and divide mentally, including: multiplying by 0 and 1; dividing by 1; multiplying together three numbers</li> <li>• Recognise and use factor pairs and commutativity in mental calculations</li> <li>• Multiply two-digit and three-digit numbers by a one-digit number using formal written layout</li> <li>• Solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as <i>n objects are connected to m objects</i></li> </ul>	<ul style="list-style-type: none"> <li>• Children unclear around language of multiplication: multiple, factor</li> <li>• Children not secure in their rapid recall of times tables facts and conceptual understanding</li> <li>• Some children not using known facts and commutative properties to solve calculations such as <math>8 \times \square = 48</math></li> <li>• Children may not see the link between known facts and multiplying multiples by 10 and 100</li> <li>• Children are incorrectly taught that <math>\times 10</math> involves ‘adding a zero’ rather than developing understanding of place value</li> </ul>	<ul style="list-style-type: none"> <li>• Rapid recall of all numbers multiplied by 10, 100, 1000</li> <li>• Rapid recall of all multiplication and division facts up to <math>12 \times 12</math></li> <li>• To understand what happens when multiplying by 1 and 0</li> <li>• To multiply together three numbers</li> <li>• To know by heart all doubles and halves (double 34 is double 30 + double 4 = <math>60+8= 68</math>)</li> <li>• To multiply by 4 (double and double again: <math>7 \times 4 =</math> double 7 = 14. Double 14 = 28)</li> <li>• To multiply by 5 (multiply by 10 and halve: <math>5 \times 9 = 10 \times 9 = 90</math> halved = 45)</li> <li>• To multiply by 20 (multiply by 10 and double) Work out 8 times table by doubling four times table</li> <li>• Use doubling to work out multiples of 15. (<math>1 \times 15 = 15</math>, <math>2 \times 15 = 30</math>, <math>4 \times 15 = 60</math>, <math>8 \times 15 = 120</math>, <math>16 \times 15 = 240</math>)</li> <li>• Use combinations of these facts to find e.g. <math>11 \times 15</math> (<math>8 \times 15 + 2 \times 15 + 1 \times 15 = 120 + 30 + 15 = 165</math>)</li> <li>• Work out the six times table by adding 2 times table facts and 4 times table facts. To multiply a number by 9 or 11, multiply it by 10 and add/subtract the number (<math>14 \times 9 = 140 - 14 = 126</math> and <math>14 \times 11 = 140 + 14 = 154</math>)</li> <li>• To know the three corresponding number facts when given a multiplication number sentence.</li> </ul>

- |  |  |  |
|--|--|--|
|  | <ul style="list-style-type: none"><li>• Also unable to see that <math>x100</math> is the same as <math>x10</math> and <math>x10</math> again</li></ul> |  |
|--|--|--|

Objective & Strategy	Concrete	Pictorial	Abstract
<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Grid method recap from year 3 for two-digit x one-digit</p> <p style="writing-mode: vertical-rl; transform: rotate(180deg);">Move to multiplying three-digit</p>	<p>Use place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows</p>  <p>Calculations <math>4 \times 126</math></p> <p>Fill each row with 126</p> <p>Add up each column, starting with the ones making any exchanges needed</p>		<p><math>126 \times 4 = 504</math></p>  <p>link to expanded method</p> 

**Column multiplication  
2 and 3 digits by 1 digit**


Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping.  $321 \times 2 = 642$



It is important at this stage that they always multiply the ones first.

$0.2 \times 3 =$   
 $0.2 + 0.2 + 0.2 = 0.6$   
 $3 \times 2 \text{ tenths} = 6 \text{ tenths} = 0.6$

$0.2$   
 $\times 3$   
 $\hline 0.6$




The corresponding long multiplication is modelled alongside

x	300	20	7
4	1200	80	28



The grid method maybe used to show how this relates to a formal written method.



Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods.

$327$   
 $\times 4$   
 $\hline 28$   
 $80$   
 $1200$   
 $\hline 1308$




$327$   
 $\times 4$   
 $\hline 1308$

This may lead to a compact method.

**To use the distributive law**



To use the distributive law:  $32 \times 3 = (30 \times 3) + (2 \times 3) = 90 + 6 = 96$



$32 \times 3$   
 $30 \times 3 = 90$       $2 \times 3 = 6$

$32 \times 3 = (30 \times 3) + (2 \times 3) = 90 + 6 = 96$

Find the product of 24 and 30








**Year 5/6 – Multiplication (track back to year 4 for progression)**

<b><u>National Curriculum:</u></b>	<b><u>Year 5 Potential barriers/misconceptions:</u></b>	<b><u>Mental Maths:</u></b>
<ul style="list-style-type: none"> <li>• Identify multiples and factors, including finding all factor pairs of a number, and common factors of two numbers</li> <li>• Know and use the vocabulary of prime numbers, prime factors and composite (nonprime) numbers</li> <li>• Establish whether a number up to 100 is prime and recall prime numbers up to 19</li> <li>• Multiply numbers up to 4 digits by a one- or two-digit number using a formal written method, including long multiplication for two digit numbers</li> <li>• Multiply numbers mentally drawing upon known facts</li> <li>• Multiply whole numbers and those involving decimals by 10, 100 and 1000</li> <li>• Recognise and use square numbers and cube numbers, and the notation for squared (2) and cubed (3)</li> <li>• Solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes</li> <li>• Solve problems involving addition, subtraction, multiplication and division</li> </ul>	<ul style="list-style-type: none"> <li>• Children may struggle to partition a two-digit number into tens and ones correctly for whole numbers and tenths for decimals.</li> <li>• Children believe that multiplication always increases a number. This is only when a positive number is multiplied by a whole number greater than 1.</li> </ul>	<ul style="list-style-type: none"> <li>• To find all factor pairs of a number &amp; find common factors of two numbers</li> <li>• To establish whether a number up to 100 is prime</li> <li>• To recall prime numbers up to 19 Recognise 1,4,9,16,25,36,49,64,81,100 as square numbers (relate to drawings of squares)</li> <li>• Find all the pairs of factors for any number to 100 (pairs of factors to 36 are 1&amp;36, 2&amp;18, 3&amp;12, 4&amp;9, 6&amp;6)</li> <li>• Use factors for finding products mentally (<math>16 \times 12 = 16 \times 3 \times 2 \times 2 = 48</math> <math>2 \times 2 = 96</math> <math>\times 2 = 192</math>)</li> <li>• To double using known facts (double 79 = double 70 + double 9 = <math>140 + 18 = 158</math>)</li> <li>• Double a number ending in 5 and halve the other number (<math>16 \times 5</math> is equivalent to <math>8 \times 10 = 80</math>)</li> <li>• To multiply by 50 (multiply by 100, then halve: <math>26 \times 50 = 26 \times 100 = 2600</math> halved = 1300)</li> <li>• Calculate 16 times table by doubling 8 times table facts</li> <li>• Calculate 25 times table by doubling: (<math>1 \times 25 = 25</math>, <math>2 \times 25 = 50</math>, <math>4 \times 25 = 100</math>, <math>8 \times 25 = 200</math>, <math>16 \times 25 = 400</math> use combinations of these facts to work out e.g. <math>25 \times 25 = (16 \times 25) + (8 \times 25) + (1 \times 25) = 625</math>)</li> <li>• Work out 12 times table by adding 2 times table and 10 times table</li> <li>• To multiply a number by 19 or 21, multiply it by 20 and add or subtract the number (<math>13 \times 21 = 13 \times 20 + 13 = 273</math>)</li> </ul>

<p>and a combination of these, including understanding the meaning of the equals sign</p> <ul style="list-style-type: none"> <li>Solve problems involving multiplication and division, including scaling by simple fractions and problems involving simple rates</li> </ul>		
<p><b><u>Year 6 National Curriculum:</u></b></p> <ul style="list-style-type: none"> <li>Multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication</li> <li>Perform mental calculations, including with mixed operations and large numbers</li> <li>Identify common factors, common multiples and prime numbers</li> <li>Use their knowledge of the order of operations to carry out calculations involving the four operations</li> <li>Solve problems involving addition, subtraction, multiplication and division</li> <li>Use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy.</li> </ul>	<p><b><u>Year 6 Potential barriers/misconceptions:</u></b></p> <ul style="list-style-type: none"> <li>Misconceptions can arise when multiplying decimals</li> <li>Belief that if <math>1 \times 1 = 1</math> then <math>0.1 \times 0.1 = 0.1</math> (this is <math>\frac{1}{10} \times \frac{1}{10}</math> which is one tenth 'of' one tenth which <math>= \frac{1}{100} = 0.01</math>)</li> <li>Interpreting a multiplication number sentence; <math>2 \times 6</math> is often interpreted as the same as <math>6 \times 2</math>. <math>2 \times 6</math> is '2 multiplied by 6', 2 taken six times or <math>2+2+2+2+2+2</math>. The first number is 'operated on'.</li> <li><math>6 \times 2</math> would be '6 multiplied by 2', 6 taken twice or <math>6+6</math>. 'Everyday' interpretation (referred to throughout programme) can be different as <math>2 \times 6</math> is referred to as 2 'times' 6 or 2 'groups of' 6.</li> <li>This is not a problem as it is commutative and both will give the answer 12.</li> </ul>	<p><b><u>Mental Maths:</u></b></p> <p>Rapid recall of all multiplication tables up to <math>12 \times 12</math> (and derive corresponding division facts)</p> <p>Identify common factors, multiples and prime numbers</p> <p>Know the squares of all numbers from <math>1 \times 1</math> to <math>12 \times 12</math></p> <p>Derive quickly squares of multiples of 10 to 100, such as <math>20^2</math>, <math>80^2</math>.</p> <p>To double decimal numbers</p> <p>Double all multiples of 10 up to 1000</p> <p>Double all multiples of 100 up to 10,000</p> <p>Use related facts to double (double <math>277 = 400 + 140 + 14 = 554</math>)</p> <p>Double a number ending in 5 and halve the other number (<math>14 \times 5 = 7 \times 10 = 70</math>)</p> <p>Halve/double one number in the calculation, find the product then double/halve it</p> <p>To multiply by 15 (multiply by 10, halve the result then add the two parts together: <math>22 \times 15 = 22 \times 10 + 22 \times 5 = 220 + 110 = 330</math>)</p> <p>To multiply by 25 (multiply by 100 and then divide by 4)</p> <p>To know the 24 times table (six times table, double and double again – or double 12x)</p>

		<p>To calculate 17 times table (add seven times table and ten times table)</p> <p>To multiply a number by 49 or 51 (multiply it by 50 and add or subtract the number)</p> <p>To multiply a number by 99 or 101 (multiply by 100 and add or subtract the number)</p>
--	--	---

Objective & Strategy	Concrete	Pictorial	Abstract
<p><b>Column Multiplication for three and four-digits x one-digit.</b></p> <p><b>Track back to Year 4</b></p>	<p style="text-align: center;"><math>44 \times 32</math></p> 		<p style="text-align: center;"><math>1,207 \times 36</math></p> 
<p><b>To multiply whole numbers &amp; decimals by 10, 100, 1000</b></p> <p><b>Rounding to check the</b></p>	<p><math>5.928 \times 10 = 59.28</math></p> 	<p><math>26 \times 10</math></p>  <p style="text-align: center;"> <small>In the decimal system, the number in each column is 10 times bigger than the number to its right.</small> </p> 	<p><b>Multiplying decimals by 100 and 1000:</b></p> <div style="border: 1px solid black; padding: 5px; margin: 5px;"> <math display="block">0.3 \times 100 = \frac{3}{10} \times 100 = 3 \times 10 = 30</math> <math display="block">0.3 \times 1000 = \frac{3}{10} \times 1000 = 3 \times 100 = 300</math> </div> <p>By rounding the actual values to more manageable numbers, you can estimate the answers to many problems:</p> <p><math>\pounds 2.99 + \pounds 3.10 + 99p \approx \pounds 3 + \pounds 3 + \pounds 1 = \pounds 7</math></p> <p><math>29 \times 9 \approx 30 \times 10 = 300</math></p> <p><math>61 \div 6 \approx 60 \div 6 = 10</math></p> 



To understand factor, multiple, prime, square and cube numbers and construct equivalence statements

### Hundred Square

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100

How many squares can you draw on a hundred square?

What do you notice?



$3^2$  means '3 squared', or  $3 \times 3$ .  
It tells us how many times we should multiply 3 by itself.

$$1^2 = 1 \times 1 = 1$$

$$2^2 = 2 \times 2 = 4$$

$$3^2 = 3 \times 3 = 9$$

$$4^2 = 4 \times 4 = 16$$

$$5^2 = 5 \times 5 = 25 \text{ etc}$$

The opposite of a square number is a square root.

We use the symbol  $\sqrt{\quad}$  to mean square root.

So we can say that  $\sqrt{4} = 2$  and  $\sqrt{25} = 5$ .

1, 4, 9, 16, 25... are known as square numbers.

$2 \times 2 \times 2$  means '2 cubed', and is written as  $2^3$

$$1^3 = 1 \times 1 \times 1 = 1$$

$$2^3 = 2 \times 2 \times 2 = 8$$

$$3^3 = 3 \times 3 \times 3 = 27$$

$$4^3 = 4 \times 4 \times 4 = 64$$

$$5^3 = 5 \times 5 \times 5 = 125 \dots \text{etc.}$$

The opposite of a cube number is a cube root

We use the symbol  $\sqrt[3]{\quad}$  to mean cube root.

So  $\sqrt[3]{8}$  is 2 and  $\sqrt[3]{27}$  is 3.  
Each number only has one cube root.

1, 8, 27, 64, 125... are known as cube numbers.

$$4 \times 35 = 2 \times 2 \times 35$$

$$3 \times 270 = 3 \times 3 \times 9 \times 10 = 9^2 \times 10$$

To multiply fractions

$$\frac{3}{4} \times \frac{8}{9} = \frac{3 \times 8}{4 \times 9}$$

Multiply the numerators then multiply the denominators.

$$= \frac{24}{36}$$

Finally simplify by looking for common factors – both 24 and 36 have a factor of 12.


Find the product

$$\text{product} = \frac{2}{3}$$

$$\frac{3}{5} \text{ of } \frac{1}{2} = \frac{3}{5} \times \frac{1}{2}$$

$$= \frac{3 \times 1}{5 \times 2}$$

$$= \frac{3}{10}$$



$$\frac{3}{4} \times \frac{8}{9} = \frac{3 \times 8}{4 \times 9}$$




$$= \frac{24}{36}$$

$$\text{product} = \frac{2}{3}$$


# Division

## EYFS – Division (When planning ensure you track forwards to year 1)

<p><b>Early Learning Goal 11</b></p> <ul style="list-style-type: none"> <li>Using quantities and objects, they add and subtract two single-digit numbers and count on or back to find the answer.</li> <li>They solve problems, including doubling, halving and sharing.</li> </ul>	<p><b>Potential barriers/ misconceptions</b></p> <ul style="list-style-type: none"> <li>Pupils do not have 1:1 correspondence and incorrectly count the small group of objects</li> <li>Pupils do not realise that the last number counted represents the total number of objects in the group</li> <li>When objects are shared between two and four, pupils do not share equally and understand that each group should have the same number of objects</li> <li>Conceptual understanding of ‘same’ and ‘different’ is not secure (both language and concept)</li> </ul>	<p><b>Mental Maths (can revisited throughout day once concept has explicitly shared):</b></p> <ul style="list-style-type: none"> <li>To count forwards and backwards in 1s</li> <li>To count forwards and backwards in 2s To count forwards and backwards in 10s</li> <li>To count forwards and backwards in 1s from any given number</li> <li>To count in pairs (children, shoes, animals)</li> <li>Put half of the: sheep in the field, cars in the garage, dinosaurs in the box</li> <li>To quickly derive: Doubles of numbers 1-10 Halves of even numbers to 20</li> </ul>
---	--	--

Objective & Strategy	Concrete	Pictorial	Abstract
<p><b>To share objects equally (with self + others)</b></p>	<div style="display: flex; justify-content: space-around;">   </div> <p>How should we put the seeds in these four pots? Is there a way so that we'll have the same? Are there any left over?</p>  <p>Can we share out these sweets fairly? How shall we do it? Between 2 people? What would happen if it was between 3 people?</p>	 <p>Four Fish divided into two bowl= 2 fish in each bowl.</p>  <hr/> <p>We have six cakes. Can you share them equally between the bears?</p> 	<p>6 shared by 2 is 3 equal groups</p>

To halve an  
equal group up  
to 12



Half of 8 is 4



Half of 6 is 3

Half of 6 equals 3

**Year 1 Division – (Track back to EYFS to ensure progression)**

**National Curriculum:**




- Solve one-step problems involving multiplication and division, by calculating the answer using concrete objects, pictorial representations and arrays with the support of the teacher.

**Potential barriers/ misconceptions:**

- Pupils confuse numbers when counting in twos; have difficulty understanding a pair consists of two objects.
- Pupils halve by sharing or forming pairs and counting but may not associate it with division by two or division between two.
- Pupils do not recognise that the division symbol means divide.
- Pupils are not given the opportunity to explore division through both sharing and grouping.
- When dividing by two or four, pupils do not share objects equally as they do not accurately count numbers in each group.





**Mental Maths:**

- To count forwards and backwards in 2s
- To count forwards and backwards in 5s
- To count forwards and backwards in 10s
- To count forwards and backwards in 2s, 5s and 10s from any given number
- To have rapid recall of numbers up to 20 divided by 2.
- To have rapid recall of numbers up to 100 divided by 10.
- To derive the corresponding division facts when given multiplication fact (number families)
- To quickly derive:
  - doubles of numbers 1-15
  - doubles of 5,10, 15 to 50
  - halves of even numbers to 20
  - halves of even multiples of 10 (20, 40, 60, 80, 100)
  - halves of multiples of 10 up to 100
- To divide a two digit multiple of ten by 1 or 10 ( $20 \div 1 = 20$  and  $50 \div 10 = 5$ )

Objective & Strategy	Concrete	Pictorial	Abstract
<b>Division as sharing</b>	<p>Sharing using a range of objects.  <math>6 \div 2</math></p>  <p>There are 12 strawberries to be divided (shared) between 4 friends.</p>  <p><math>12 \div 4 = 3</math></p> <p>This can be done with counters and sharing bowls.</p> <p>What if 2 more friends joined? How many would they each get now? More or less?</p> <p>Share the strawberries between each of their lunch boxes.  Each friend has 3 strawberries.  Twelve strawberries shared between 4 friends means each friend gets 3 each.</p>	<p>Represent the sharing pictorially.</p>  <p>Children use pictures or shapes to share quantities.</p> 	<p><math>6 \div 2 = 3</math>  There are 2 groups of 3  2 groups of 3 equals 6</p> <p><math>12 \div 4 = 3</math></p>









**Year 2 Division – (Track back to Year 1 and forwards to Year 2 for progression)**

<b><u>National Curriculum:</u></b>	<b><u>Potential barriers/ misconceptions:</u></b>	<b><u>Mental Maths:</u></b>
<ul style="list-style-type: none"> <li>Recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers</li> <li>Calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication (<math>\times</math>), division (<math>\div</math>) and equals (=) signs</li> <li>Show that multiplication of two numbers can be done in any order (commutative) and division of one number by another cannot</li> <li>Solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts.</li> </ul>	<ul style="list-style-type: none"> <li>Pupils confuse the words ‘halving’ and ‘doubling’.</li> <li>Pupils do not use knowledge of doubles to find half of a number; for example: continue to find half by sharing using a ‘one for you’ approach and cannot apply knowledge of doubles</li> <li>Pupils do not understand that ‘sets of’ or ‘groups of’ need to be subtracted to solve the problem.</li> <li>Interpret <math>12 \div 3</math> as 12 shared between 3 and use objects or pictures to share out the 12 but lose track of their recording as numbers increase due to having no other strategy available such as counting in steps or groups.</li> <li>Pupils may not be proficient in counting forwards and backwards in equal steps so make mistakes when carrying out repeated subtraction.</li> </ul>	<ul style="list-style-type: none"> <li>To count in 2s, 5s and 10s forwards and backwards from any given number.</li> <li>To have rapid recall of 2,5 and 10 times tables.</li> <li>To connect the ten times table to place value.</li> <li>To count around the clock face using the five times table.</li> <li>To know multiplication facts and corresponding division facts. (<math>2 \times 3 = 6</math> therefore <math>3 \times 2 = 6</math> and <math>6 \div 2 = 3</math> and <math>6 \div 3 = 2</math>)</li> <li>To halve two digit numbers</li> <li>To identify half-past the hour using an analogue clock. (knowing that 30 is half of 60)</li> <li>Respond rapidly to oral questions phrased in a variety of ways (<i>share 18 between 2, divide 6 by 3, how many tens make 80? How many £2 coins do you get for £20? How many 2cm lengths can you cut from 10cm ribbon?</i>)</li> <li>Use known facts to derive quickly: doubles of numbers 1-20 doubles of 5,10, 15 to 100 halves of even numbers to 20 halves of multiples of 10 up to 200</li> <li>To know that to find a quarter you must halve and halve again (one quarter of 20 is 5, half of 20 is 10 and half of 10 is 5)</li> <li>To divide a two-digit multiple of ten by 1, 10 or zero (divide 30 by 1, divide 50 by 10, divide 70 by zero)</li> <li>To halve any multiple of ten to 100</li> </ul>

Objective & Strategy	Concrete	Pictorial	Abstract
<b>Division as sharing</b>	<p>I have 10 cubes can you share them equally in 2 groups?</p> 	<p>Children use pictures or shapes to share quantities.</p>  <p>Children use bar modelling to show and support understanding.</p>  <p><math>12 \div 4 = 3</math></p>	<p><math>12 \div 3 = 4</math></p>
<b>Division as grouping and repeated subtraction</b>		<p>Use number lines for grouping</p> 	<p><math>28 \div 7 = 4</math></p> <p>Divide 28 into 7 groups. How many are in each group?</p>


**Year 3 - Division (track back to year 2 and forwards to year 4 for progression)**

<b><u>National Curriculum:</u></b>	<b><u>Potential barriers/ misconceptions:</u></b>	<b><u>Mental Maths:</u></b>
<ul style="list-style-type: none"> <li>• Recall and use multiplication and division facts for the 3, 4 and 8 multiplication tables</li> <li>• Write and calculate mathematical statements for multiplication and division using the multiplication tables that they know, including for two-digit numbers times one-digit numbers, using mental and progressing to formal written methods</li> <li>• Solve problems, including missing number problems, involving multiplication and division, including positive integer scaling problems and correspondence problems in which n objects are connected to m objects.</li> </ul>	<ul style="list-style-type: none"> <li>• Pupils are not secure in multiplication facts for 2,4,5,6,8,10 tables</li> <li>• Pupils do not recognise the inverse of multiplication is division</li> <li>• Pupils confuse the order of division and do not recognise that you need to begin with the largest number when writing a number sentence</li> <li>• Pupils carry out division by sharing or grouping but cannot cope with a remainder and do not recognise that a remainder must always be less than the divisor</li> <li>• Pupils associate X with multiplication and ÷ with division and can do calculations <math>8 \times 2</math> and <math>16 \div 2</math> but are not able to find missing numbers in statements such as <math>6 \times \square = 12</math> and <math>\square - 5 = 3</math>.</li> </ul>	<ul style="list-style-type: none"> <li>• To count forwards and backwards in 3s, 4s and 8s</li> <li>• To count forwards and backwards in 3s, 4s and 8s from any given number</li> <li>• To have rapid recall of all division facts when given a multiplication fact</li> <li>• To use repeated subtraction on the counting stick (i.e. <math>18 \div 3 =</math> count back 15, 12, 9, 6, 3, 0 = 6)</li> <li>• To divide any number by one or zero             <ul style="list-style-type: none"> <li>○ To divide any two-digit even number by 2. Use known facts to derive quickly: doubles of numbers 1-100</li> <li>○ doubles of 5,15, 25 up to 100</li> <li>○ doubles of 50, 100, 150, 200 up to 500 and all corresponding halves</li> </ul> </li> <li>• To divide any three-digit multiple of 10 by 10 (<math>340 \div 10</math>, <math>890 \div 10</math> etc.)</li> <li>• To know how to find quarters of a number by finding half of a half (quarter of 60 = <math>60 \div 2 = 30 \div 2 = 15</math>)</li> </ul>


Objective & Strategy	Concrete	Pictorial	Abstract
<b>Division as grouping including knowledge of fractions</b>	<p>Use cubes, counters, objects or place value counters to aid understanding.</p>  <p>24 divided into groups of 6 = 4</p>  <p><math>96 \div 3 = 32</math></p>	<p>Continue to use bar modelling to aid solving division problems.</p>  <p>Divide the tens by 3  <math>60 \div 3 = 2 \text{ tens}</math>  <math>3 \overline{)69}</math></p> <p>Then the ones by 3  <math>9 \div 3 = 3 \text{ ones}</math>  <math>3 \overline{)69}</math></p>  <p>4 cakes shared between 8 children</p>	<p>How many groups of 6 in 24?</p> <p>There are 69 books to be shared between 3 classes. How many books does each class get?</p>  <p><math>69 \div 3 = \square</math></p> <p><math>24 \div 6 = 4</math> I could use my knowledge of tables to do:</p>  <p><math>60 \div 3 = 20</math> (because if I know <math>3 \times 2 = 6</math> then <math>3 \times 20 = 60</math> therefore <math>60 \div 3 = 20</math>)  <math>9 \div 3 = 3</math> (I know that <math>3 \times 3 = 9</math>)  <math>20 + 3 = 23</math></p> <p>4 cakes shared between 8 children equals <math>\frac{1}{2}</math> each.</p>
<b>Link division to multiplication</b> <b>Use the distributive law to divide "friendly" numbers.</b>	<p>Link division to multiplication  E.g. <math>15 \div 3 = 5</math>    <math>5 \times 3 = 15</math>  <math>15 \div 5 = 3</math>    <math>3 \times 5 = 15</math></p> 	<p>Draw an array and use lines to split the array into groups to make multiplication and division sentences</p> 	<p>Find the inverse of multiplication and division sentences by creating eight linking number sentences.</p> <p><math>7 \times 4 = 28</math>    <math>28 = 7 \times 4</math>  <math>4 \times 7 = 28</math>    <math>28 = 4 \times 7</math>  <math>28 \div 7 = 4</math>    <math>4 = 28 \div 7</math>  <math>28 \div 4 = 7</math>    <math>7 = 28 \div 4</math></p> <p><math>45 \div 3 = \square</math>  Use knowledge of 45 to split the number into:</p>  <p><math>30 \div 3 = 10</math>  <math>15 \div 3 = 5</math>  <math>10 + 5 = 15</math></p> <p>Therefore <math>45 \div 3 = 15</math></p> 

Division with remainders.

$4 \div 3 =$   
Divide objects between groups and see how much is left over



Draw dots and group them to divide an amount and clearly show a remainder.




Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder

Example without remainder:


$40 \div 5$

Ask "How many 5s in 40?"




Example with remainder:

$38 \div 6$



For larger numbers, when it becomes inefficient to count in single multiples, bigger jumps can be recorded using known facts.

Use bar models to show division with remainders.









Complete written divisions and show the remainder using r.

$38 \div 6 = 6r2$

**Year 4 - Division (track back to year 3 and forwards to year 5 for progression)**

<p><b><u>National Curriculum:</u></b></p> <ul style="list-style-type: none"> <li>Recall multiplication and division facts for multiplication tables up to <math>12 \times 12</math></li> <li>Use place value, known and derived facts to multiply and divide mentally, including:             <ul style="list-style-type: none"> <li>multiplying by 0 and 1;</li> <li>dividing by 1;</li> <li>multiplying together three numbers</li> </ul> </li> <li>Recognise and use factor pairs and commutativity in mental calculations</li> <li>Multiply two-digit and three-digit numbers by a one-digit number using formal written layout</li> <li>Solve problems involving multiplying and adding, including using the distributive law to multiply two digit numbers by one digit, integer scaling problems and harder correspondence problems such as n objects are connected to m objects</li> </ul>	<p><b><u>Potential barriers / misconceptions:</u></b></p> <ul style="list-style-type: none"> <li>Pupils do not understand that division is grouping as well as sharing.</li> <li>Pupils are muddled about the correspondence between multiplication and division facts, recording, for example: <math>3 \times 5 = 15</math> so <math>3 \div 15 = 5</math>.</li> <li>Pupils write a remainder that is larger than the divisor, for example: <math>36 \div 7 = 4</math> remainder 8.</li> <li>Pupils discard the remainder as do not understand its significance</li> <li>Pupils continue to subtract two when calculating 20 divided by 2 without using knowledge that 2 multiplied by 5 equals 10.</li> </ul>	<p><b><u>Mental Maths:</u></b></p> <p>Rapid recall of multiplication facts to <math>12 \times 12</math></p> <p>To know all related division facts when given a multiplication fact (<math>8 \times 4 = 32</math> therefore <math>32 \div 4 = 8</math> <math>32 \div 8 = 4</math>)</p> <p>Recognise and use factor pairs</p> <p>To give statements about odd and even numbers (An odd digit cannot be divided exactly by two)</p> <p>To know the divisibility of numbers (ring the numbers that divide exactly by four: 3, 8, 20, 27, 34, 36, 48, 50)</p> <p>Recognise that a whole number is divisible by: 100 if the last two digits are 00; 10 if the last digit is 0; 2 if the last digit is 0,2,4,6,8; 4 if the last two digits are divisible by 4; 5 if the last digit is 5 or 0</p> <p>Find all the pairs of factors of any number to 100 (i.e. pairs of factors of 24 are: 1 and 24, 2 and 12, 3 and 8, 4 and 6)</p> <p>Relate division to fractions ( <math>\frac{1}{2}</math> of 10 is the same as <math>10 \div 2</math> and <math>\frac{1}{4}</math> of 12 is the same as <math>12 \div 4</math>)</p> <p>To divide a whole number of pounds by 2, 4, 5 or 10 (£29 divided between 4 people = £7 each + <math>\pounds 1 \div 4 = 25p = \pounds 7.25</math> each)</p> <p>Understand halving as the inverse of doubling (<i>if double 37 is 74 then half 74 is 37</i>)</p> <p>To use related facts to half (i.e. half of 28 = half of 20 is 10 and half of 8 is 4 = <math>10 + 4 = 14</math>)</p> <p>To find quarters and eighths by halving (<math>\frac{1}{8}</math> of 56 is the same as half of 56 = 28 half again is 14, half again is 7 = 7)</p> <p>To divide a four digit multiple of 1000 by 10 or 100 (<math>8000 \div 100 = 80</math>) (To find one tenth, one hundredth etc.)</p>
--	--	--

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Use the distributive law to divide 2 digit and 3 digit numbers by 1 digit without</p>	<p><math>52 \div 2</math></p>  <p>Divide the tens by 2. <math>2 \overline{)52}</math></p> <p>Regroup the ten. Add the ones. <math>2 \overline{)52}</math></p> <p>Divide the ones by 2. <math>2 \overline{)52}</math></p> <p>REGROUP</p> <p>26 cards each</p>	<p>Class 4 are calculating <math>25 \times 8</math> mentally. Can you complete the calculations in each of the methods?</p> <p>Method 1  <math>25 \times 8 = 20 \times 8 + 5 \times 8 = 160 + \square = \square</math></p> <p>Method 2  <math>25 \times 8 = 5 \times 5 \times 8 = 5 \times \square = \square</math></p> <p>Method 3  <math>25 \times 8 = 25 \times 10 - 25 \times 2 = \square - \square = \square</math></p> <p>Method 4  <math>25 \times 8 = 50 \times 8 \div 2 = \square \div \square = \square</math></p> 	<p><math>64 \div 4 = \square</math></p> <p>Use knowledge of 64 to split the number into:</p>  <p>Friendly numbers are easier to calculate.</p> <p><math>40 \div 4 = 10</math>  <math>24 \div 4 = 6</math>  <math>10 + 6 = 16</math></p> <p>Therefore <math>64 \div 4 = 16</math></p>
	<p>There are 525 cows on the farm. They need to be put into three different fields. How many cows will there be in each field?</p> <p><math>525 \div 3 = \square</math></p>  <p>Divide the hundreds by the 3. <math>3 \overline{)525}</math></p> <p>Regroup = 22 tens. <math>3 \overline{)525}</math></p> <p>Divide tens by 3. <math>3 \overline{)525}</math></p> <p>Regroup the remainder 10. Divide ones by 3. <math>3 \overline{)525}</math></p> <p><math>175</math></p> <p><math>3 \overline{)525}</math></p>	<p>Jack is dividing 84 by 4 using place value counters. First, he divides the tens. Then, he divides the ones.</p>  <p><math>84 \div 4 = 20 + 4 = 24</math></p> <p><math>80 \div 4 = 20</math></p> <p><math>4 \div 4 = 1</math></p>	<p><math>64 \div 4 = \square</math></p> <p>Use knowledge of 64 to split the number into:</p>  <p>Friendly numbers are easier to calculate.</p> <p><math>40 \div 4 = 10</math>  <math>24 \div 4 = 6</math>  <math>10 + 6 = 16</math></p> <p>Therefore <math>64 \div 4 = 16</math></p>
<p>To make links between arrays and short division</p>	<p><math>120 \div 3 = 40</math></p> 		<p><math>40</math></p> <p><math>3 \overline{)120}</math></p> <p><math>12 \div 3 = 4</math>  <math>3 \text{ into } 0 = 0</math></p> <p><math>12 \text{ tens} \div 3 = 40</math></p>

**Year 5 – Division (track back to Year 4 and forward to Year 6 for progression)**

**National Curriculum:**

- Identify multiples and factors, including finding all factor pairs of a number, and common factors of two numbers.
- Know and use the vocabulary of prime numbers, prime factors and composite (non-prime) numbers
- Establish whether a number up to 100 is prime and recall prime numbers up to 19
- Multiply and divide numbers mentally drawing upon known facts
- Divide numbers up to 4 digits by a one-digit number using the formal written method of short division and interpret remainders appropriately for the context
- Multiply and divide whole numbers and those involving decimals by 10, 100 and 1000
- Recognise and use square numbers and cube numbers, and the notation for squared(2) and cubed (3)
- Solve problems involving multiplication and division including using their knowledge of factors and multiples, squares and cubes
- Solve problems involving addition, subtraction, multiplication and division and a combination of these, including understanding the meaning of the equals sign  
Solve problems involving multiplication and division, including scaling by simple fractions and problems involving simple rates.

**Potential barriers/ misconceptions:**

- Pupils recognise what calculation to do when word problems include the words ‘times’ or ‘share’, but are less confident when other language is used such as ‘product’, ‘divided by’, ‘remainder’ and mistakenly associate ‘how many?’ and ‘how much?’ with addition or subtraction.
- Understand multiplication as repeated addition and division as repeated subtraction but not as scaling up and down to prepare the way for later work in measures and on ratio.
- Pupils do not understand that  $\div 10$  and then  $\div 10$  again is the same as  $\div 100$   
When dealing with remainders, pupils have little understanding of how to represent as a fraction or a decimal.

**Mental Maths:**

- To identify all factor pairs of a number
- To identify common factors of two numbers
- To recall prime numbers up to 19 To establish whether a number up to 100 is prime
- Multiply and divide numbers mentally using known facts. (i.e.  $240 \div 3 = 80$  because  $I\ know\ 24 \div 3 = 8$ )
- To use and understand the terms **factor, multiple and prime, square and cube** numbers
- To know that dividing by four is the same as finding a quarter etc. (and  $1/3$  of 24 is  $24 \div 3$ )
- To divide any number by 10, 100, 1000 To round up or down according to context (see year 3 exemplification)
- To double all whole numbers and decimals knowing that halving is the inverse
- Find sixths by halving thirds and twentieths by halving tenths

Objective & Strategy	Concrete	Pictorial	Abstract																																								
Divide whole numbers and decimals by 10, 100 and 1,000	<div style="text-align: center;"> <table border="1" style="margin: 0 auto;"> <tr> <th style="background-color: #d9ead3;">Tens</th> <th style="background-color: #f4cccc;">Ones</th> <th style="background-color: #cfe2f3;">Tenths</th> <th style="background-color: #d9ead3;">Hundredths</th> <th style="background-color: #f4cccc;">Thousandths</th> </tr> <tr> <td style="text-align: center;">6</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="2" style="border: none;"></td> <td style="border: none;"></td> <td style="border: none;"></td> <td style="border: none;"></td> </tr> <tr> <td style="text-align: center;">0</td> <td style="text-align: center;">6</td> <td style="text-align: center;">4</td> <td style="text-align: center;">2</td> <td style="text-align: center;">0</td> </tr> </table> <p><b><math>64.2 \div 100 = 0.642</math></b>            (The place value shifts two places to the right and            The value gets one hundred times smaller)</p> <table border="1" style="margin: 0 auto;"> <tr> <th style="background-color: #d9ead3;">Thousands</th> <th style="background-color: #cfe2f3;">Hundreds</th> <th style="background-color: #d9ead3;">Tens</th> <th style="background-color: #f4cccc;">Ones</th> <th style="background-color: #cfe2f3;">Tenths</th> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">6</td> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> </tr> <tr> <td colspan="2" style="border: none;"></td> <td style="border: none;"></td> <td style="border: none;"></td> <td style="border: none;"></td> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">4</td> <td style="text-align: center;">6</td> <td style="text-align: center;">0</td> <td style="text-align: center;">0</td> </tr> </table> <p><b><math>5460 \div 10 = 546</math></b>            (The place value shifts to the right and            The value gets ten times smaller)</p> </div>	Tens	Ones	Tenths	Hundredths	Thousandths	6	4	2	4	2						0	6	4	2	0	Thousands	Hundreds	Tens	Ones	Tenths	5	4	6	0	0						5	4	6	0	0	<div style="text-align: center;"> <p><math>1 \div 10 = 1/10</math> or <math>0.1</math></p>  <p>Dividing by ten, you move the number one place value to the left.</p> </div>	<p><math>64.2 \div 100 = 0.642</math></p>
Tens	Ones	Tenths	Hundredths	Thousandths																																							
6	4	2	4	2																																							
0	6	4	2	0																																							
Thousands	Hundreds	Tens	Ones	Tenths																																							
5	4	6	0	0																																							
5	4	6	0	0																																							

Divide at least 3 digit numbers by 1 digit.

Short Division

$96 \div 3$

Tens	Units
3	2

Use place value counters to divide using the bus stop method alongside

$42 \div 3 =$

Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.

We exchange this ten for ten ones and then share the ones equally among the groups.

We look how much in 1 group so the answer is 14.

**Decimals**

A piece of ribbon is 0.8m long. Five children want part of the ribbon each for their hair. If the ribbon is shared equally how long is each piece?

$0.8 \div 5 = 0.16$

Each piece of Ribbon is 0.16m or 16cm.

Ones	Tenths	Hundredths
	8	

Divide the ones by 5 hundredths


Divide the tenths by 5

3 tenths = 30

= 1 tenth r 3tenths (regroup the 3)

Divide by 5 = 6 hundredths

As we are dividing by five place value table is divided into five parts.



Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.

Encourage them to move towards counting in multiples to divide more efficiently.

Thousands	Hundreds	Tens	Ones
4	8	9	2

	1	2	2	3
4	4	8	9	2

**Division with remainders**

Here is a method to solve 4,894 divided by 4 using place value counters and short division.

Thousands	Hundreds	Tens	Ones
4	8	9	4

	1	2	2	3
4	4	8	9	4
				r2

Begin with divisions that divide equally with no remainder.

$$\begin{array}{r} 218 \\ 3 \overline{) 654} \end{array}$$

Move onto divisions with a remainder.

$$\begin{array}{r} 86 \text{ r } 2 \\ 3 \overline{) 258} \end{array}$$

Finally move into decimal places to divide the total accurately.

$$\begin{array}{r} 14.6 \\ 35 \overline{) 511.0} \end{array}$$

$$\begin{array}{r} 0.663 \text{ r } 5 \\ 8 \overline{) 5309} \end{array}$$

$0.8 \div 5 = 0.16$

$$\begin{array}{r} 0.16 \\ 5 \overline{) 0.80} \end{array}$$

**Year 6 – Division (Track back to Year 5 for progression) - See Year 5 for short division**

<b><u>National Curriculum:</u></b>	<b><u>Potential barriers/ misconceptions:</u></b>	<b><u>Mental Maths:</u></b>
<ul style="list-style-type: none"> <li>• Divide numbers up to 4 digits by a two-digit whole number using the formal written method of long division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context.</li> <li>• Divide numbers up to 4 digits by a two-digit number using the formal written method of short division where appropriate, interpreting remainders according to the context.</li> <li>• Perform mental calculations, including with mixed operations and large numbers. Identify common factors, common multiples and prime numbers</li> <li>• Use their knowledge of the order of operations to carry out calculations involving the four operations</li> <li>• Solve problems involving addition, subtraction, multiplication and division.</li> <li>• Use estimation to check answers to calculations and determine, in the context of a problem, an appropriate degree of accuracy.</li> </ul>	<ul style="list-style-type: none"> <li>• Pupils lack understanding that division is grouping as well as sharing</li> <li>• Lack of times tables knowledge.</li> <li>• Pupils ignore decimal point when calculating then 'slot back in' – due to generalisation of adding decimals.</li> <li>• Pupils misunderstand the concept of making a no. 10/100/1000 times smaller, prefer to learn 'knock off a zero' and when a number ends in a different digit simply know that off.</li> <li>• Ignore decimal point or 'move it'.</li> <li>• Pupils have a limited range of multiplication and division facts.</li> <li>• Pupils misuse half understood rules about multiplying and dividing by powers of ten and the associative law, for example: <math>145 \times 30 = 145\ 000</math></li> <li>• Pupils have difficulty interpreting, when appropriate, a remainder as a fraction, for example: <math>16 \div 3 = 5 \frac{1}{3}</math></li> <li>• Pupils interpret division only as sharing and not grouping (repeated subtraction) so are unable to interpret calculations such as: <math>12 \div \frac{1}{2}</math>.</li> <li>• Pupils may not be confident in making reasonable estimates for multiplication or division calculations.</li> </ul>	<ul style="list-style-type: none"> <li>• Identify common factors &amp; multiples</li> <li>• To identify prime numbers</li> <li>• Rapid recall of all multiplication tables (and related number families)</li> <li>• To divide any number by 10, 100, 1000 (knowing that the place value changes)</li> <li>• To find one hundredth or one thousandth of an amount by dividing by 100 or 1000</li> <li>• To relate fractions to division (dividing by the denominator)</li> <li>• To know doubles of numbers including decimals and corresponding halves</li> <li>• To recognise that if <math>5 \times 60 = 300</math> then <math>300 \div 60 = 5</math> and of <math>300 \div 5 = 60</math></li> <li>• To halve a decimal fraction less than 1 with one or two decimal places (half of 0.7)</li> <li>• Use knowledge that in exact multiples of (and prove): 100 the last two digits are 00 and 10 the last digit is zero and 5</li> <li>• The last digit is 0 or 5 25 The last two digits are 00, 25, 50 or 75 2</li> <li>• The last digit is 0,2,4,5,8, 3</li> <li>• The sum of the digits is divisible by 3 4</li> <li>• The last two digits are divisible by 4 6</li> <li>• The number is even and divisible by 3. 8</li> </ul>

- |  |  |   |
|--|--|---|
|  |  | <ul style="list-style-type: none"><li>• The last 3 digits are divisible by 8 9</li><li>• The sum of the digits is divisible by 9.</li></ul> |
|--|--|---|

Objective & Strategy	Concrete	Pictorial	Abstract																																																																								
<p style="text-align: center;"><b>Long Division</b> 3 digit divided by 2 digit <b>Expanded method</b> (using multiples to help)</p>	<table border="1" style="margin-bottom: 10px;"> <tr><td></td><td></td><td>3</td><td>6</td></tr> <tr><td>12</td><td>4</td><td>3</td><td>2</td></tr> <tr><td>-</td><td>3</td><td>6</td><td>0</td></tr> <tr><td></td><td></td><td>7</td><td>2</td></tr> <tr><td>-</td><td></td><td>7</td><td>2</td></tr> <tr><td></td><td></td><td></td><td>0</td></tr> </table> <p style="margin-left: 100px;">(x10)</p> <p style="margin-left: 100px;">(x6)</p> <p>Multiples to help  <math>12 \times 1 = 12</math>  <math>12 \times 2 = 24</math>  <math>12 \times 5 = 60</math>  <math>12 \times 10 = 120</math></p>			3	6	12	4	3	2	-	3	6	0			7	2	-		7	2				0	<p>Long division using place value counters  <math>2544 \div 12</math></p> <p>We can't group 2 thousands into groups of 12 so will exchange them.</p> <p>We can group 24 hundreds into groups of 12 which leaves with 1 hundred.</p> <p>After exchanging the hundred, we have 14 tens. We can group 12 tens into a group of 12, which leaves 2 tens.</p> <p>After exchanging the 2 tens, we have 24 ones. We can group 24 ones into 2 group of 12, which leaves no remainder.</p> $\begin{array}{r} 02 \\ 12 \overline{)2544} \\ \underline{24} \phantom{00} \\ 14 \phantom{00} \\ \underline{12} \phantom{00} \\ 2 \phantom{00} \\ \underline{0} \\ 0 \end{array}$	<p><math>589 \div 19 = 31</math></p> <table border="1" style="margin-bottom: 10px;"> <tr><td>19</td><td>38</td><td>57</td><td>76</td><td>95</td><td>114</td><td>133</td><td>152</td><td>171</td><td>190</td></tr> </table> <table border="1" style="margin-bottom: 10px;"> <tr><td></td><td></td><td>3</td><td>1</td></tr> <tr><td>19</td><td>5</td><td>8</td><td>9</td></tr> <tr><td>-</td><td>5</td><td>7</td><td></td></tr> <tr><td></td><td></td><td>1</td><td>9</td></tr> <tr><td>-</td><td></td><td>1</td><td>9</td></tr> <tr><td></td><td></td><td></td><td>0</td></tr> </table>	19	38	57	76	95	114	133	152	171	190			3	1	19	5	8	9	-	5	7				1	9	-		1	9				0														
		3	6																																																																								
12	4	3	2																																																																								
-	3	6	0																																																																								
		7	2																																																																								
-		7	2																																																																								
			0																																																																								
19	38	57	76	95	114	133	152	171	190																																																																		
		3	1																																																																								
19	5	8	9																																																																								
-	5	7																																																																									
		1	9																																																																								
-		1	9																																																																								
			0																																																																								
<p style="text-align: center;"><b>Long Division</b> 4 digit divided by 2 digit <b>(subtracting from the total – seeing</b></p>		<p>Here is a division method.</p> <table border="1" style="margin-bottom: 10px;"> <tr><td></td><td>0</td><td>4</td><td>8</td><td>9</td></tr> <tr><td>15</td><td>7</td><td>3</td><td>3</td><td>5</td></tr> <tr><td>-</td><td>6</td><td>0</td><td>0</td><td>0</td></tr> <tr><td></td><td></td><td>1</td><td>3</td><td>5</td></tr> <tr><td>-</td><td></td><td>1</td><td>2</td><td>0</td></tr> <tr><td></td><td></td><td></td><td>1</td><td>3</td><td>5</td></tr> <tr><td>-</td><td></td><td></td><td>1</td><td>3</td><td>5</td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td>0</td></tr> </table> <p>(x400) (x80) (x9)</p>		0	4	8	9	15	7	3	3	5	-	6	0	0	0			1	3	5	-		1	2	0				1	3	5	-			1	3	5						0	<p><math>7335 \div 15 =</math></p> <p style="text-align: center;">489</p>																													
	0	4	8	9																																																																							
15	7	3	3	5																																																																							
-	6	0	0	0																																																																							
		1	3	5																																																																							
-		1	2	0																																																																							
			1	3	5																																																																						
-			1	3	5																																																																						
					0																																																																						
<p style="text-align: center;"><b>Long Division</b> with remainders</p>		<p>Elijah uses this method to calculate 372 divided by 15  He has used his knowledge of multiples to help.</p> <table border="1" style="margin-bottom: 10px;"> <tr><td></td><td></td><td>2</td><td>4</td><td>r</td><td>12</td></tr> <tr><td>15</td><td>3</td><td>7</td><td>2</td><td></td><td></td></tr> <tr><td>-</td><td>3</td><td>0</td><td>0</td><td></td><td></td></tr> <tr><td></td><td></td><td>7</td><td>2</td><td></td><td></td></tr> <tr><td>-</td><td></td><td>6</td><td>0</td><td></td><td></td></tr> <tr><td></td><td></td><td>1</td><td>2</td><td></td><td></td></tr> </table> <p><math>1 \times 15 = 15</math>  <math>2 \times 15 = 30</math>  <math>3 \times 15 = 45</math>  <math>4 \times 15 = 60</math>  <math>5 \times 15 = 75</math>  <math>10 \times 15 = 150</math></p>			2	4	r	12	15	3	7	2			-	3	0	0					7	2			-		6	0					1	2			<p><math>1,000 \div 16 = 62 \text{ r}8</math></p> <table border="1" style="margin-bottom: 10px;"> <tr><td>16</td><td>32</td><td>48</td><td>64</td><td>80</td><td>96</td></tr> </table> <table border="1" style="margin-bottom: 10px;"> <tr><td></td><td></td><td>0</td><td>6</td><td>2</td></tr> <tr><td>16</td><td>1</td><td>0</td><td>0</td><td>0</td></tr> <tr><td>-</td><td></td><td>9</td><td>6</td><td></td></tr> <tr><td></td><td></td><td></td><td>4</td><td>0</td></tr> <tr><td>-</td><td></td><td></td><td>3</td><td>2</td></tr> <tr><td></td><td></td><td></td><td></td><td>8</td></tr> </table>	16	32	48	64	80	96			0	6	2	16	1	0	0	0	-		9	6					4	0	-			3	2					8
		2	4	r	12																																																																						
15	3	7	2																																																																								
-	3	0	0																																																																								
		7	2																																																																								
-		6	0																																																																								
		1	2																																																																								
16	32	48	64	80	96																																																																						
		0	6	2																																																																							
16	1	0	0	0																																																																							
-		9	6																																																																								
			4	0																																																																							
-			3	2																																																																							
				8																																																																							